

**SAIKANG<sup>®</sup>**

LEADING BRAND OF CHINA  
MEDICAL FURNITURE



**RACE AGAINST TIME  
HEALTHIER YOUR LIFE**

[www.abalance.co.il](http://www.abalance.co.il)

## CONTENTS

01	Strength of Saikang	09	Hospital Bed	71	Mattress
03	Technology of Saikang	31	Homecare Bed	73	Bedside Table
05	Innovation of Saikang	33	Orthopedic Bed	74	Overbed Table
07	Quality of Saikang	35	Children Bed	75	Medical Chair
		41	Baby Crib	84	I.V. Stand
		43	Examination Table	85	Stretcher
		47	Obstetric Bed	86	Stretcher Trolley
		52	Gynecological Table	88	Patient Trolley
		53	Operating Table	93	Medical Trolley
		65	Operating Lamp	99	Surgical Instrument
		69	Medical Bridge, Ceiling Pendant	100	Cabinet/Shelf



## Z7z


### ICU Smart Bed SKD-C

#### Technical Parameters

External Length	2127mm
External Width	1070mm
Bed Height Min.	530mm
Bed Height Max.	930mm
Mattress Platform	1925×900mm
Safe Working Load	250kg

#### Technical Configuration

✓ LINAK Motor	2pcs
✓ Telescopic Column Motor	3pcs
✓ 6" Double Side Secure® Castors, Central Locking	4pcs
✓ PP Side Rail with Integrated LCD Control Panel	1set
✓ PP Bed Ends with Safe Lock	1set
✓ X-ray Transparent Phenolic Resin Bed Platform	1set
✓ Patent Angle Indicator	4pcs
✓ Φ85mm Wall Bumper Wheel	4pcs
✓ Trapeze Socket	2pcs
✓ IV Pole	1set
✓ IV Pole Prevision	8pcs
✓ Drainage Hook	4pcs
✓ Central Locking Pedal	2pcs
✓ ABS Mattress Retainer	6pcs
✓ Hook Type LCD Control Panel at Foot End	1pc
✓ Emergency Stop Button	1pc
✓ Night Light	1set
✓ Manual CPR	
✓ Electric CPR	
✓ Weighing System	



## X9x

### Electric ICU Bed SKD-C

#### Technical Parameters

External Length	2120-2320mm
External Width	1010mm
Bed Height Min.	550mm
Bed Height Max.	950mm
Mattress Platform	1890-2090×820mm
Safe Working Load	250kg

#### Optional

- Weighing System With LCD Screen
- Data Storage System
- Monkey Pole

#### Technical Configuration

<input checked="" type="checkbox"/> LINAK Motor	6pcs
<input checked="" type="checkbox"/> 6" Double Side Castors, Central Locking	4pcs
<input checked="" type="checkbox"/> PP Side Rail with Integrated Control Panel	1set
<input checked="" type="checkbox"/> PP Bed Ends One Step Removable	1set
<input checked="" type="checkbox"/> Ø85mm Wall Bumper Wheel	4pcs
<input checked="" type="checkbox"/> IV Pole 4 Hooks	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	4pcs
<input checked="" type="checkbox"/> 5 <sup>th</sup> Directional Wheel Pedal	2pcs
<input checked="" type="checkbox"/> Central Locking Pedal	2pcs
<input checked="" type="checkbox"/> X-ray Translucent Mattress Platform	1set
<input checked="" type="checkbox"/> Back-up Battery	1set
<input checked="" type="checkbox"/> Night Light	1set
<input checked="" type="checkbox"/> Bed Push Handle for Emergency Transfer	1set
<input checked="" type="checkbox"/> Manual CPR	
<input checked="" type="checkbox"/> Electric CPR	



360° View

<b>75°±10°</b> Back-rest 	<b>33°±10°</b> Knee-rest 	<b>450mm</b> Height Adjustment 390-840mm 	<b>17°</b> Reverse Trendelenburg 	<b>17°</b> Trendelenburg 	Cardiac Chair Position 	<b>200mm</b> Bed Extension 	<b>weight</b> Weighing System 
<b>CPR</b> Instant Release 	<b>0-90°</b> Angle Indicator 	<b>70+40mm</b> Auto-regression 	<b>30°</b> Position Line 	Built-in LED Torch 	<b>LINAK</b> Motor 		

Oasis Series

# Y8y

## Electric ICU Bed SKD-C

### Technical Parameters

External Length	2150mm
External Width	1060mm
Bed Height Min.	390mm
Bed Height Max.	840mm
Mattress Platform	1925×880mm
Safe Working Load	250kg

### Advantages

- ★ Double Auto-regression
- ★ Super-low Bed Position 390mm
- ★ PP Bed Platform, Removable & Washable
- ★ Inserted-type PP Head Foot Board, One Step Release With Safe Lock, Patent Design
- ★ PP Safety Guardrail With Two Steps Unlocking System, Patent Design
- ★ Back Rest 30degree Position, Reduce The Chance Of Lung Infection
- ★ Built-in LED Torch

### Technical Configuration

✓ LINAK Motor	4pcs
✓ 5" Double Side Castors, Central Locking System	4pcs
✓ PP Oasis Side Rail Extra Height	1set
✓ PP Oasis Bed Ends with Safe Lock	1set
✓ PP Bed Platform, Removable & Washable	9pcs
✓ Plastic Socket Inside PP Guardrail for Phone or Glasses	2pcs
✓ Patent Angle Indicator For Back-rest And Trendelenburg Position	4pcs
✓ Ø113mm Wall Bumper Wheel	4pcs
✓ IV Pole 4 Hooks	1set
✓ IV Pole Prevision	4pcs
✓ Drainage Hook	2pcs
✓ Central Locking Pedal	2pcs
✓ ABS Mattress Retainer	2pcs
✓ Hand Controller	1pc
✓ Manual CPR	
✓ Electric CPR	
✓ Lowest position indicator	

### Optional

<input type="checkbox"/> Weighing System
<input type="checkbox"/> Bed Extension 20cm
<input type="checkbox"/> Back-up Battery
<input type="checkbox"/> Nurse Control Panel
<input type="checkbox"/> Emergency Stop Button
<input type="checkbox"/> Cardiac Chair Position
<input type="checkbox"/> Directional Wheels Function
<input type="checkbox"/> 5th and 6th Extra Side Rail For Full Protection
<input type="checkbox"/> Monkey Pole
<input type="checkbox"/> Balkan frame
<input type="checkbox"/> Linen Holder
<input type="checkbox"/> One-button for patient mobilisation position
<input type="checkbox"/> One button nursing position



360° View

<b>75°±10°</b> Back-rest 	<b>35°±10°</b> Knee-rest 	<b>290mm</b> Height Adjustment 480-770mm 	<b>12°</b> Reverse Trendelenburg 	<b>12°</b> Trendelenburg 	Cardiac Chair Position 	<b>200mm</b> Bed Extension 	<b>weight</b> Weighing System 
<b>CPR</b> Instant Release 	<b>0-90°</b> Angle Indicator 	<b>30°</b> Position Line 	Built-in LED Torch 	<b>LINAK</b> Motor 			

Oasis Series

# Y8t

## Electric ICU Bed SKD-C

### Technical Parameters

External Length	2140mm
External Width	1060mm
Bed Height Min.	480mm
Bed Height Max.	770mm
Mattress Platform	1925×900mm
Safe Working Load	250kg

### Technical Configuration

<input checked="" type="checkbox"/> LINAK Motor	4pcs
<input checked="" type="checkbox"/> 5" Double Side Castors, Central Locking System	4pcs
<input checked="" type="checkbox"/> PP Oasis Side Rail Extra Height	1set
<input checked="" type="checkbox"/> PP Oasis Bed Ends with Safe Lock	1set
<input checked="" type="checkbox"/> Stamping Forming Bed Platform	1pc
<input checked="" type="checkbox"/> Plastic Socket Inside PP Guardrail for Phone or Glasses	2pcs
<input checked="" type="checkbox"/> Patent Angle Indicator For Back-rest And Trendelenburg Position	4pcs
<input checked="" type="checkbox"/> Ø70mm Wall Bumper Wheel	4pcs
<input checked="" type="checkbox"/> IV Pole 4 Hooks	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs
<input checked="" type="checkbox"/> Central Locking Pedal	2pcs
<input checked="" type="checkbox"/> Emergency Stop Button	1pc
<input checked="" type="checkbox"/> Manual CPR	
<input checked="" type="checkbox"/> Electric CPR	
<input checked="" type="checkbox"/> Lowest position indicator	

### Optional

<input type="checkbox"/> Hand Controller
<input type="checkbox"/> Weighing System
<input type="checkbox"/> Nurse Control Panel
<input type="checkbox"/> Cardiac Chair Position
<input type="checkbox"/> Bed Extension 20cm
<input type="checkbox"/> Back-up Battery
<input type="checkbox"/> Directional Wheels Function
<input type="checkbox"/> ABS Mattress Retainer
<input type="checkbox"/> Monkey Pole
<input type="checkbox"/> Balkan Frame
<input type="checkbox"/> Linen Holder



360° View

<b>75°±10°</b> Back-rest 	<b>35°±10°</b> Knee-rest 	<b>290mm</b> Height Adjustment 435-725mm 	<b>12°</b> Reverse Trendelenburg 	<b>12°</b> Trendelenburg 	<b>CPR</b> Instant Release 	<b>0-90°</b> Angle Indicator 
<b>weight</b> Weighing System 	<b>LINAK</b> Motor 					

Grace Care  
**D8d-CPR**  
 Electric Bed  
 SKD-C



D8d

Technical Parameters

External Length	2280mm
External Width	1090mm
Bed Height Min.	435mm
Bed Height Max.	725mm
Mattress Platform	1925×900mm
Safe Working Load	250kg

Technical Configuration

<input checked="" type="checkbox"/> LINAK Motor	4pcs
<input checked="" type="checkbox"/> 5" Double Side Castors, Central Locking	4pcs
<input checked="" type="checkbox"/> PP Grace Side Rail with Integrated Control Panel	1set
<input checked="" type="checkbox"/> PP Grace Bed Ends with Integrated LCD Control Panel	1set
<input checked="" type="checkbox"/> Ø85mm Wall Bumper Wheel	4pcs
<input checked="" type="checkbox"/> Trapeze Socket	2pcs
<input checked="" type="checkbox"/> IV Pole 4 Hooks	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs
<input checked="" type="checkbox"/> Central Locking Pedal	2pcs
<input checked="" type="checkbox"/> Manual CPR	

Optional

<input type="checkbox"/> Electric CPR
<input type="checkbox"/> Weighing System with LCD Screen
<input type="checkbox"/> Bed Extension
<input type="checkbox"/> Back-up Battery
<input type="checkbox"/> Cardiac Position
<input type="checkbox"/> ABS Bed Surface
<input type="checkbox"/> X-ray Bed Surface
<input type="checkbox"/> Monkey Pole
<input type="checkbox"/> Balkan Traction Frame
<input type="checkbox"/> Directional Wheel



<b>75°±10°</b> Back-rest 	<b>28°±10°</b> Knee-rest 	<b>450mm</b> Height Adjustment 400-850mm 	<b>17°</b> Reverse Trendelenburg 	<b>17°</b> Trendelenburg 	Cardiac Chair Position 	<b>200mm</b> Bed Extension 	<b>weight</b> Weighing System 
<b>CPR</b> Instant Release 	<b>0-90°</b> Angle Indicator 	<b>67+57mm</b> Auto-regression 	<b>30°</b> Position Line 	<b>LINAK</b> Motor 			

## V8v Electric Bed SKD-C

- RAL 210 710 30
- RAL 5023
- RAL 6019
- RAL 3015
- Pale Oak
- White Oak
- Red Oak

### Technical Parameters

External Length	2085mm
External Width	1025mm
Bed Height Min.	400mm
Bed Height Max.	850mm
Mattress Platform	1925×900mm
Safe Working Load	250kg

### Optional

- Hand Controller
- Utility Shelf
- Trapeze Bracket/Pole

### Technical Configuration


<input checked="" type="checkbox"/> LINAK Motor	4pcs	<input checked="" type="checkbox"/> Integrated Control Panel	2sets
<input checked="" type="checkbox"/> 5" Double Side Castors, Central Locking	4pcs	<input checked="" type="checkbox"/> Manual CPR	
<input checked="" type="checkbox"/> PP Side Rail Extra Height	1 set	<input checked="" type="checkbox"/> Auto Break at 30°	
<input checked="" type="checkbox"/> PP Bed Ends with Safe Lock with Φ65 Bumper Wheels	1 set	<input checked="" type="checkbox"/> Emergency Stop Button	
<input checked="" type="checkbox"/> PP Bed Platform with Integrated Mattress Retainer	1 set	<input checked="" type="checkbox"/> Battery Back-up	
<input checked="" type="checkbox"/> Patent Angle Indicator For Back-rest And Trendelenburg Position	4pcs	<input checked="" type="checkbox"/> Bed Extension	
<input checked="" type="checkbox"/> IV Pole 4 Hooks	1 set	<input checked="" type="checkbox"/> Weighing System	
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs	<input checked="" type="checkbox"/> Night Light	
<input checked="" type="checkbox"/> Drainage Hook	2pcs	<input checked="" type="checkbox"/> X-ray Translucent Mattress Platform (Back Section)	
<input checked="" type="checkbox"/> Central Locking Pedal	2pcs	<input checked="" type="checkbox"/> Wheels Directional Function	
<input checked="" type="checkbox"/> Cardiac Chair Position	1pc	<input checked="" type="checkbox"/> Lowest position indicator	
<input checked="" type="checkbox"/> Nurse Controller	1pc		



360° View

## V8w

### Electric Bed SKD-C



#### Technical Parameters

External Length	2085mm
External Width	1020mm
Bed Height Min.	455mm
Bed Height Max.	745mm
Mattress Platform	1925×900mm
Safe Working Load	250kg

#### Technical Configuration

<input checked="" type="checkbox"/> LINAK Motor	4pcs
<input checked="" type="checkbox"/> Hand Controller	1pc
<input checked="" type="checkbox"/> 5" Hardshell Castors	4pcs
<input checked="" type="checkbox"/> Foldable Side Rail with ProErgo-Handle™	1set
<input checked="" type="checkbox"/> PP Bed Ends with Safe Lock with Φ65 Bumper Wheels	1set
<input checked="" type="checkbox"/> PP Bed Platform with Integrated Mattress Retainer	1set
<input checked="" type="checkbox"/> IV Pole 4 Hooks	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs

#### Optional

<input type="checkbox"/> Battery Back-up
<input type="checkbox"/> Bed Extension
<input type="checkbox"/> Nurse Controller
<input type="checkbox"/> Emergency Stop Button
<input type="checkbox"/> Auto-regression Function (Back Section)
<input type="checkbox"/> Night Light
<input type="checkbox"/> Manual CPR
<input type="checkbox"/> X-ray Translucent Mattress Platform (Back Section)
<input type="checkbox"/> Utility Shelf
<input type="checkbox"/> Trapeze Bracket/Pole

## V6v

### Electric Bed SKD-C



#### Technical Parameters

External Length	2085mm
External Width	1025mm
Bed Height Min.	430mm
Bed Height Max.	740mm
Mattress Platform	1925×900mm
Safe Working Load	250kg

#### Technical Configuration

<input checked="" type="checkbox"/> Linear Motor	3pcs
<input checked="" type="checkbox"/> Hand Controller	1pc
<input checked="" type="checkbox"/> 5" Hardshell Castors	4pcs
<input checked="" type="checkbox"/> PP Side Rail Extra Height	1set
<input checked="" type="checkbox"/> PP Bed Ends with Safe Lock with Φ65 Bumper Wheels	1set
<input checked="" type="checkbox"/> PP Bed Platform with Integrated Mattress Retainer	1set
<input checked="" type="checkbox"/> Patent Angle Indicator For Back-rest Position	2pcs
<input checked="" type="checkbox"/> IV Pole 4 Hooks	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs

#### Optional

<input type="checkbox"/> Battery Back-up
<input type="checkbox"/> Bed Extension
<input type="checkbox"/> Integrated Control Panel
<input type="checkbox"/> Nurse Controller
<input type="checkbox"/> Auto Break at 30°
<input type="checkbox"/> Emergency Stop Button
<input type="checkbox"/> Night Light
<input type="checkbox"/> Manual CPR
<input type="checkbox"/> X-ray Translucent Mattress Platform (Back Section)
<input type="checkbox"/> Utility Shelf
<input type="checkbox"/> Trapeze Bracket/Pole

## V4w

### Manual Bed SK-CD1



#### Technical Parameters

External Length	2130mm
External Width	1020mm
Bed Height Min.	475mm
Bed Height Max.	725mm
Mattress Platform	1925×900mm
Safe Working Load	200kg

#### Technical Configuration

<input checked="" type="checkbox"/> Manual Cranks	4pcs
<input checked="" type="checkbox"/> 5" Hardshell Castors	4pcs
<input checked="" type="checkbox"/> Foldable Side Rail with ProErgo-Handle™	1set
<input checked="" type="checkbox"/> PP Bed Ends with Safe Lock with Φ65 Bumper Wheels	1set
<input checked="" type="checkbox"/> PP Bed Platform with Integrated Mattress Retainer	1set
<input checked="" type="checkbox"/> IV Pole 4 Hooks	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs

#### Optional

<input type="checkbox"/> Auto-regression Function (Back Section)	
<input type="checkbox"/> Utility Shelf	
<input type="checkbox"/> Trapeze Bracket/Pole	

## V3v

### Manual Bed SK-CD1



#### Technical Parameters

External Length	2130mm
External Width	1025mm
Bed Height Min.	430mm
Bed Height Max.	740mm
Mattress Platform	1925×900mm
Safe Working Load	200kg

#### Technical Configuration


<input checked="" type="checkbox"/> Manual Cranks	3pcs
<input checked="" type="checkbox"/> 5" Hardshell Castors	4pcs
<input checked="" type="checkbox"/> PP Side Rail Extra Height	1set
<input checked="" type="checkbox"/> PP Bed Ends with Safe Lock with Φ65 Bumper Wheels	1set
<input checked="" type="checkbox"/> PP Bed Platform with Integrated Mattress Retainer	1set
<input checked="" type="checkbox"/> Patent Angle Indicator For Back-rest Position	2pcs
<input checked="" type="checkbox"/> IV Pole 4 Hooks	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs

#### Optional

<input type="checkbox"/> Utility Shelf	
<input type="checkbox"/> Trapeze Bracket/Pole	



360° View



## V6k Electric Bed SKD-C

- RAL 210 710 30
- RAL 5023
- RAL 6019
- RAL 3015
- Pale Oak
- White Oak
- Red Oak

### Technical Parameters

External Length	2085mm
External Width	995mm
Bed Height Min.	420mm
Bed Height Max.	730mm
Mattress Platform	1925×900mm
Safe Working Load	200kg

### Technical Configuration

✓ Linear Motor	3pcs
✓ Hand Controller	1pc
✓ 5" Covered Castors	4pcs
✓ Foldable Side Rail	1set
✓ PP Bed Ends with Safe Lock with Φ65 Bumper Wheels	1set
✓ PP Bed Platform with Integrated Mattress Retainer	1set
✓ IV Pole 4 Hooks	1set
✓ IV Pole Prevision	4pcs
✓ Drainage Hook	2pcs

### Optional

- Battery Back-up
- Bed Extension
- Nurse Controller
- Emergency Stop Button
- Auto-regression Function (Back Section)
- Night Light
- Manual CPR
- X-ray Translucent Mattress Platform (Back Section)
- Utility Shelf
- Trapeze Bracket/Pole

## V3k

### Manual Bed SK-CD1



#### Technical Parameters

External Length	2130mm
External Width	995mm
Bed Height Min.	420mm
Bed Height Max.	730mm
Mattress Platform	1925×900mm
Safe Working Load	200kg

#### Technical Configuration


<input checked="" type="checkbox"/> Manual Crank	3pcs
<input checked="" type="checkbox"/> 5" Covered Castors	4pcs
<input checked="" type="checkbox"/> Foldable Side Rail	1set
<input checked="" type="checkbox"/> PP Bed Ends with Safe Lock with Φ65 Bumper Wheels	1set
<input checked="" type="checkbox"/> PP Bed Platform with Integrated Mattress Retainer	1set
<input checked="" type="checkbox"/> IV Pole 4 Hooks	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs

#### Optional

<input type="checkbox"/> Auto-regression Function (Back Section)
<input type="checkbox"/> Utility Shelf
<input type="checkbox"/> Trapeze Bracket/Pole

## V2k

### Manual Bed SK-C1



#### Technical Parameters

External Length	2130mm
External Width	995mm
Bed Height	500mm
Mattress Platform	1925×900mm
Safe Working Load	200kg

#### Technical Configuration

<input checked="" type="checkbox"/> Manual Crank	2pcs
<input checked="" type="checkbox"/> 5" Covered Castors	4pcs
<input checked="" type="checkbox"/> Foldable Side Rail	1set
<input checked="" type="checkbox"/> PP Bed Ends with Safe Lock with Φ65 Bumper Wheels	1set
<input checked="" type="checkbox"/> PP Bed Platform with Integrated Mattress Retainer	1set
<input checked="" type="checkbox"/> IV Pole 4 Hooks	1set
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Drainage Hook	2pcs

#### Optional

<input type="checkbox"/> Auto-regression Function (Back Section)
<input type="checkbox"/> Utility Shelf
<input type="checkbox"/> Trapeze Bracket/Pole

## K6k

### Electric Bed SKD-C



360° View

#### Technical Parameters


External Length	2105mm
External Width	980mm
Bed Height Min.	400mm
Bed Height Max.	710mm
Mattress Platform	1925×820mm
Safe Working Load	200kg

#### Technical Configuration

<input checked="" type="checkbox"/> Linear Motor	3pcs	<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Hand Controller	1pc	<input checked="" type="checkbox"/> Drainage Hook	4pcs
<input checked="" type="checkbox"/> 5° Covered Castors	4pcs	<input checked="" type="checkbox"/> ABS Mattress Retainer	2pcs
<input checked="" type="checkbox"/> Foldable Side Rail	1 set		
<input checked="" type="checkbox"/> PP Bed Ends with Safe Lock	1 set		
<input checked="" type="checkbox"/> IV Pole	1 set		

## K3k

### Manual Bed SK-CD1



#### Technical Parameters


External Length	2160mm
External Width	980mm
Bed Height Min.	400mm
Bed Height Max.	710mm
Mattress Platform	1940×830mm
Safe Working Load	200kg

#### Technical Configuration

<input checked="" type="checkbox"/> Manual Crank	3pcs	<input checked="" type="checkbox"/> Drainage Hook	4pcs
<input checked="" type="checkbox"/> 5° Covered Castors	4pcs	<input checked="" type="checkbox"/> ABS Mattress Retainer	2pcs
<input checked="" type="checkbox"/> Foldable Side Rail	1 set		
<input checked="" type="checkbox"/> PP Bed Ends with Safe Lock	1 set		
<input checked="" type="checkbox"/> IV Pole	1 set		
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs		

## K2k

### Manual Bed SK-C1




#### Technical Parameters

External Length	2160mm
External Width	980mm
Bed Height	505mm
Mattress Platform	1930×830mm
Safe Working Load	200kg

#### Technical Configuration

<input checked="" type="checkbox"/> Manual Crank	2pcs	<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> 5° Covered Castors	4pcs	<input checked="" type="checkbox"/> Drainage Hook	4pcs
<input checked="" type="checkbox"/> Foldable Side Rail	1 set	<input type="checkbox"/> ABS Mattress Retainer	
<input checked="" type="checkbox"/> PP Bed Ends with Safe Lock	1 set	<input type="checkbox"/> Utility Shelf	
<input checked="" type="checkbox"/> IV Pole	1 set		



### User's Safety and Comfort from Long Term Care Bed

The physical health and psychological well-being are hot topics for elderly people. Safety is an important quality feature for a nursing bed. Beds' systematic fall prevention can reduce the risk of falling out of the bed.

Our innovative solutions can reduce falls as well as the consequences associated with falls. It is a wonderful match of safety, mobility, height adjustable and coziness. All these features cater to the needs of people who spend a lot of time in bed. The adjustability makes beds more appropriate than a standard bed for providing comfortable support and enabling caregivers to deliver quality care.

- Beech Wood
- Cherry Wood
- Pale Oak
- Dark Oak

#### HB421

Electric Homecare Bed  
SKD-C  
Size: 2150×920×185-762mm



#### HB422

Electric Homecare Bed  
SKD-C  
Size: 2150×1000×200-745mm



#### HB425

Electric Homecare Bed  
SKD-C  
Size: 2150×1000×185-762mm



#### HB426

Electric Homecare Bed  
SKD-C  
Size: 2200×1025×345-927mm



360° View



## GB8e

### Manual Orthopedic Traction Bed SKD-C



#### Technical Parameters

External Length	2230mm
External Width	1060mm
Bed Height Min.	435mm
Bed Height Max.	725mm
Mattress Platform	1925×900mm

#### Technical Configuration

✓ Linear Motor	4pcs	✓ IV Pole Prevision	4pcs
✓ 5" Double Side Castors, Central Locking	4pcs	✓ Drainage Hook	2pcs
✓ PP Side Rail with Angle Indicator	1 set	✓ Aluminium Balkan Frame	1 set
✓ PP Bed Ends with Safe Lock	1 set		
✓ IV Pole	1pc		



#### Design

ABS guardrail, can be raised and lowered, convenient for patients to go to bed, meet safety standards, provide patients with a comfortable and safe experience.



#### Steels | Painting

Baosteel from Fortune Global 500. 11 Process epoxy painting, ASTM testing anti-bacterial, paint thickness 0.12mm, brightness 60°, paint can resist 50kg impact.



#### Welding | Chassis

Panasonic robotic ensure, 360° full smooth wedding Solid bed base made of 5.0 mm stamped rotating plate.



#### Motor

American motor, with UL/ROHS/EN standard. Noise under 50dB, with lifetime 20,000times movement.



#### Balkan Frame

Aluminum Balkan Frame, which can adjust the longitudinal, lateral and height positions in all directions, and can accurately adjust the most comfortable posture of the patient.




#### Head & Foot Board

Full ABS material, head and foot board can be reversible.

# Q5k

## Electric Children Bed

### SKD-A



360° View

#### Technical Parameters

External Length	1930mm
External Width	880mm
Bed Height Min.	600mm
Bed Height Max.	1710×780mm


#### Technical Configuration

✓ Linear Motor	2pcs	✓ 5" Double Side Castors	4pcs
✓ Foldable Side Rail	1 set	✓ IV Pole Prevision	4pcs
✓ PP Bed Ends With Safe Lock	1 set	✓ IV Pole	1 set
✓ PP Bed Platform, Removeable, Washable	1 set	✓ Drainage Hook	2pcs

# Q2w

## Children Bed

### SK-C1



#### Technical Parameters

External Length	2185mm
External Width	880mm
Bed Height Min.	540mm
Bed Height Max.	1940×780mm

#### Technical Configuration

✓ Manual Cranks	2pcs	✓ IV Pole Prevision	4pcs
✓ Foldable Side Rail with ProErgo-Handle™	1 set	✓ IV Pole	1 set
✓ 5" Double Side Castors, Central Locking	4pcs	✓ Drainage Hook	2pcs
✓ PP Bed Platform, Removeable, Washable	1 set	✓ Shoes Holder	1 set
✓ PP Bed Ends With Safe Lock	1 set		

# CQ2k

## Children Bed

### SK-CD2



#### Technical Parameters

External Length	1975mm
External Width	880mm
Bed Height Min.	540mm
Bed Height Max.	1730×780mm


#### Technical Configuration

✓ Manual Cranks	2pcs	✓ PP Bed Ends with Safe Lock	4pcs
✓ Aluminium Alloy Full Length Side Rail	1 set	✓ IV Pole Prevision	4pcs
✓ 5" Covered Castors	1 set	✓ IV Pole	1 set
✓ PP Bed Platform, Removeable, Washable	1 set	✓ Drainage Hook	2pcs

# CQ8k

## Electric Children Bed

SKD-C



360° View

### Technical Parameters

External Length	1975mm
External Width	880mm
Bed Height Min.	480mm
Bed Height Max.	770mm
Mattress Platform	1730×780mm



### Technical Configuration

<input checked="" type="checkbox"/> LINAK Motor	4pcs	<input checked="" type="checkbox"/> IV Pole Prevision	4pcs
<input checked="" type="checkbox"/> Stainless Steel Side Rail with Extra Protection	1 set	<input checked="" type="checkbox"/> IV Pole	1pc
<input checked="" type="checkbox"/> PP Bed Ends with Safe Lock	1 set	<input checked="" type="checkbox"/> Drainage Hook	2pcs
<input checked="" type="checkbox"/> PP Bed Platform, Removeable, Washable	1 set		
<input checked="" type="checkbox"/> 5" Double Side Castors, Central Locking	4pcs		

# CD3q

## Children Bed

SK-CD2



### Technical Parameters

External Length	2030mm
External Width	1045mm
Bed Height Min.	500mm
Bed Height Max.	770mm
Mattress Platform	1705×900mm

### Technical Configuration

<input checked="" type="checkbox"/> Manual Cranks	3pcs	<input checked="" type="checkbox"/> IV Pole	1pc
<input checked="" type="checkbox"/> 5" Hardshell Castors	4pcs	<input checked="" type="checkbox"/> Drainage Hook	2pcs
<input checked="" type="checkbox"/> Aluminium Alloy Full Length Side Rail	1 set		
<input checked="" type="checkbox"/> PP Grace Bed Ends with Safe Lock	1 set		
<input checked="" type="checkbox"/> IV Pole Prevision	4pcs		

## CX2x Children Bed SK-C2



### Technical Parameters

External Length	1910mm
External Width	930mm
Bed Height	575mm
External Height	1260mm
Mattress Platform	1775×710mm

### Technical Configuration

✓ Manual Cranks	2pcs	✓ IV Pole	1pc
✓ 5" Double Side Castors	4pcs	✓ Drainage Hook	2pcs
✓ Full Length Side Rail	1set	✓ Buffer Air Spring	4pcs
✓ Plastic Bed Ends	1set		
✓ IV Pole Prevision	4pcs		

## CR0q Children Bed SK-A2



### Technical Parameters

External Length	1600mm
External Width	750mm
Bed Height	500mm
External Height	1040mm
Mattress Platform	1580×660mm

### Technical Configuration

✓ 5" Covered Castors	4pcs	✓ Drainage Hook	2pcs
✓ Full Length Side Rail	1set		
✓ Integrated Bed Ends	1set		
✓ IV Pole	1pc		
✓ IV Pole Prevision	4pcs		

## CR2q Children Bed SK-C2



### Technical Parameters

External Length	1800mm
External Width	860mm
Bed Height	600mm
External Height	1110mm
Mattress Platform	1600×760mm

### Technical Configuration

✓ Manual Cranks	2pcs	✓ IV Pole Prevision	4pcs
✓ Full Length Side Rail	1set	✓ Drainage Hook	2pcs
✓ Intergrated Bed Ends	1set	✓ Shoes Holder	1pc
✓ Anti-slip Bed Feet Cover	4pcs		
✓ IV Pole	1pc		

# X01-1

Baby Crib  
SK-AD3



### Technical Parameters

External Length	890mm
External Width	520mm
Bed Height Min.	770mm
Bed Height Max.	940mm

### Technical Configuration

<input checked="" type="checkbox"/>	Hydraulic Pump	1 pc
<input checked="" type="checkbox"/>	Bassinet	1 pc
<input checked="" type="checkbox"/>	3" Double Side Castors	4 pcs

# X01-5

Baby Crib  
SK-A3



### Technical Parameters

External Length	810mm
External Width	520mm
Bed Height	990mm

### Technical Configuration

<input checked="" type="checkbox"/>	Bassinet	1 pc	<input checked="" type="checkbox"/>	IV Pole	1 set
<input checked="" type="checkbox"/>	3" Covered Castors	4 pcs	<input checked="" type="checkbox"/>	Utility Basket	1 pc
<input checked="" type="checkbox"/>	IV Pole Prevision	2 pcs	<input checked="" type="checkbox"/>	Adjustable Air Spring	1 pc

# X01

Baby Crib  
SK-A3



### Technical Parameters

External Length	810mm
External Width	490mm
Bed Height	960mm

### Technical Configuration

<input checked="" type="checkbox"/>	Bassinet	1 pc
<input checked="" type="checkbox"/>	3" Covered Castors	4 pcs
<input checked="" type="checkbox"/>	IV Pole Prevision	2 pcs

# X20

Pediatric Exam Table  
SKZ-A1

### Technical Parameters

External Length	1800mm
External Width	650mm
Bed Height	830mm



## X36-1

### Electric Examination Table

SKD-A



#### Technical Parameters

External Length	1960mm
External Width	680mm
Table Height Min.	470mm
Table Height Max.	910mm


#### Technical Configuration

<input checked="" type="checkbox"/> Adjustable arm support	1pc	<input checked="" type="checkbox"/> Brake Pedal	4pcs
<input checked="" type="checkbox"/> Motor	1pc	<input checked="" type="checkbox"/> Hand Controller	1pc
<input checked="" type="checkbox"/> Gas spring	2pcs	<input checked="" type="checkbox"/> Manual Operator	1pc
<input checked="" type="checkbox"/> 3" Castor	4pcs		

## X36

### Electric Examination Table

SKD-A



#### Technical Parameters

External Length	1890mm
External Width	860mm
Table Height Min.	470mm
Table Height Max.	910mm

#### Technical Configuration

<input checked="" type="checkbox"/> Pillow	1pc	<input checked="" type="checkbox"/> Brake Pedal	4pcs
<input checked="" type="checkbox"/> Motor	1pc	<input checked="" type="checkbox"/> Hand Controller	1pc
<input checked="" type="checkbox"/> Gas spring	2pcs	<input checked="" type="checkbox"/> Manual Operator	1pc
<input checked="" type="checkbox"/> 3" Castor	4pcs		

## X26

### Electric Examination Table

SKD-A



#### Technical Parameters

External Length	1810mm
External Width	680mm
Table Height Min.	480mm
Table Height Max.	850mm

#### Technical Configuration

<input checked="" type="checkbox"/> Pillow	1pc	<input checked="" type="checkbox"/> Hand Controller	1pc
<input checked="" type="checkbox"/> Motor	1pc	<input checked="" type="checkbox"/> Paper Roll Holder	1pc
<input checked="" type="checkbox"/> Mechanical Lever to Adjust Back Rest	1pc		
<input checked="" type="checkbox"/> 2" Castor	2pcs		

## X14

### Hydraulic Examination Table

SKZ-BD2



#### Technical Parameters

External Length	1940mm
External Width	700mm
Table Height Min.	490mm
Table Height Max.	890mm

#### Technical Configuration

<input checked="" type="checkbox"/> Hydraulic Pump	1pc		
<input checked="" type="checkbox"/> Adjustable Air Spring	2pcs		
<input checked="" type="checkbox"/> 5" Covered Castor	4pcs		
<input checked="" type="checkbox"/> Hydraulic pedal	2sets		

## X07a

### Examination Table SKZ-A1



X07



#### Technical Parameters

External Length	1900mm
External Width	600mm
Table Height	680mm

#### Technical Configuration

<input checked="" type="checkbox"/> Anti-slip Bed Feet Cover	4pcs

## X09

### Examination Table SKZ-B1

65°±10°  
Back-rest

#### Technical Parameters

External Length	1900mm
External Width	600mm
Table Height	680mm

#### Technical Configuration

<input checked="" type="checkbox"/> Anti-slip Bed Feet Cover	4pcs
<input checked="" type="checkbox"/> Mechanical Lever to Adjust Back Rest	1set

## A048

### Gynecological Examination Table SKZ-B1

75°±10°  
Back-restRetractable  
Foot Board

#### Technical Parameters


External Length	1810mm
External Width	690mm
Table Height	880mm

#### Technical Configuration

<input checked="" type="checkbox"/> Drawer	3pcs	<input checked="" type="checkbox"/> Lithotomy Rod	1set
<input checked="" type="checkbox"/> Step Stool	1pc	<input checked="" type="checkbox"/> Stainless Steel Basin	1pc
<input checked="" type="checkbox"/> Retractable Foot Board	1pc	<input checked="" type="checkbox"/> Paper Roll Holder	1pc

## A98-3

### Electric Obstetric Bed SKL-A



#### Technical Parameters

External Length	2140mm
External Width	1120mm
Table Height Min.	595mm
Table Height Max.	905mm

#### Technical Configuration

✓ Leg Holder	1 pair	✓ IV pole	1 pc	✓ Castors	1 set
✓ Clamp	1 pair	✓ Hand Controller	1 pc	✓ Stainless Steel	1 pc
✓ Grab Handle	1 pair	✓ Steel Guradrial	1 pair		
✓ Basin	1 pc	✓ Cushion	1 set		

## A98-4

### Electric Obstetric Bed SKL-A



#### Technical Parameters

External Length	1980mm
External Width	960mm
Table Height Min.	650mm
Table Height Max.	940mm

#### Technical Configuration

✓ Mattress	1 pc	✓ Slider	2 pcs	✓ Castors	4 pcs
✓ Handle	2 pcs	✓ Tightener	2 pcs	✓ Central Locking Pedal	2 pcs
✓ Leg Support	2 pcs	✓ Hand Controller	1 pc		
✓ ABS Side Rail	2 pcs	✓ Stainless Steel Basin	1 pc		

## A99-13

### Electric Obstetric Bed SKL-A



#### Technical Parameters

External Length	2100mm
External Width	600mm
Table Height Min.	750mm
Table Height Max.	1000mm

#### Technical Configuration


✓ Armrest	2 pcs	✓ SST Rinsing Basin	1 pc
✓ Knee Curtch	2 pcs	✓ Pedal Controller	1 pc
✓ Pull Handle	2 pcs	✓ LED Examination Light	1 pc
✓ Anesthesia Frame	1 pc		



## A99-7

### Electric Obstetric Bed

SKL-A



ELECTRIC OBSTETRIC BED

#### Frame

Base cover made of high quality ABS. It can be sterilized at the temperature above 100 °C. The tensile strength up to 30 MPa. Base structure is made of high-quality seamless steel, robot welded with high strength.

#### Battery

Battery could support about 80-120 complete operation cycles. Working time could be last for one week according to useage and help to keep the operating table running in the event of power failure.



#### Bed Width

Seamless foam mattress, with waterproof PU cover. Easy cleaning and disinfection.



#### Arm Plate

Flexible arm plate adjustment.



#### Hand Controller

Electrical braking system. Controlled by hand controller.

#### Technical Parameters

External Length	1980mm
External Width	720mm
Table Height Min.	630mm
Table Height Max.	880mm

#### Technical Configuration

<input checked="" type="checkbox"/> Bed Frame	1pc	<input checked="" type="checkbox"/> Hand Bars	2pcs	<input checked="" type="checkbox"/> Caster	1pc
<input checked="" type="checkbox"/> Foot Pedal	1pc	<input checked="" type="checkbox"/> Leg Support with Cushion	2pcs		
<input checked="" type="checkbox"/> Hand Controller	1pc	<input checked="" type="checkbox"/> Arm Support with Cushion	2pcs		
<input checked="" type="checkbox"/> Anesthesia Screen	1pc	<input checked="" type="checkbox"/> Stainless Steel Basin	1pc		

## A99-5

### Electric Obstetric Bed SKL-A

260mm  
Height  
Adjustment



45°/10°  
Back Plate  
up/down



20°/9°  
Seat Plate  
up/down



90°  
Leg Plate  
Swing Out



#### Technical Parameters

External Length	1950mm
External Width	660mm
Table Height Min.	680mm
Table Height Max.	940mm

#### Technical Configuration

✓ Arm Support	2pcs	✓ Tightener	2pcs	✓ Slider	4pcs
✓ Handle	2pcs	✓ Hand Controller	1pc		
✓ Leg Support	2pcs	✓ Foot Switch	1pc		
✓ Stirrup	2pcs	✓ Stainless Steel Basin	1pc		

## A105

### Manual Obstetric Table SKF-C

250mm  
Height  
Adjustment



50°/3°  
Back Plate  
up/down



20°  
Reverse  
Trendelenburg



10°  
Trendelenburg



90°  
Leg Plate  
Swing Out



#### Technical Parameters

External Length	1900mm
External Width	600mm
Table Height Min.	700mm
Table Height Max.	950mm

#### Technical Configuration

✓ Bed Frame	1pc	✓ Leg Support with Cushion	2pcs
✓ Mattress	1pc	✓ Arm Support with Cushion	2pcs
✓ Anesthesia Screen Frame	1pc	✓ Stainless Steel Basin	1pc
✓ Hand Bars	2pcs		

## A99-8

### Electric Gynecological Exam Couch SKL-B

70°/20°  
Back Plate  
up/down



40°  
Seat Plate  
up



490mm  
Height  
Adjustment



#### Technical Parameters

External Length	1400mm
External Width	740mm
Table Height Min.	610mm
Table Height Max.	1100mm

#### Technical Configuration

✓ Hand Bars	2pcs
✓ Leg Support with Cushion	2pcs
✓ Foot Pedal	1pc
✓ Stainless Steel Basin	1pc

## A045-1

### Gynecological Table SKF-A

70°±10°  
Back Plate  
up



90°±10°  
Leg Plate  
down



#### Technical Parameters

External Length	1820mm
External Width	590mm
Table Height	800mm

#### Technical Configuration

✓ Lithotomy Rod	1set	✓ Mechanical Lever	2sets
✓ Hand Bar	1set	✓ Stainless Steel Basin	1pc
✓ Anti-slip Bed Feet Cover	4pcs		



## A100-4B

### Electric-Hydraulic Operating Table SKT-C

A100-4B is an electric hydraulic operating table designed for increasingly complex surgical situations, focusing on simplifying operation, ensuring safety, and ensuring reliability. This operating table has a super load-bearing capacity in any position. The simple button-type joint connection and modular quick disassembly design of the tabletop make it suitable for a variety of surgeries.

<b>35°</b> Reverse Trendelenburg 	<b>35°</b> Trendelenburg 	<b>25°</b> Lateral Tilt left/right 	<b>50°/60°</b> Head Plate up/down 	<b>80°/45°</b> Back Plate up/down 	<b>80°/90°</b> Leg Plate up/down 
<b>120mm</b> Kidney Bridge Up 	<b>350mm</b> Horizontal Sliding C type Arm 	<b>90°</b> Foot Plate Horizontal Positioning 	<b>100°</b> Flex 	<b>220°</b> Reflex 	Quick Disassembly Design 



#### Technical Parameters

External Length	2100mm
External Width	550mm
Table Height Min.	550mm
Table Height Max.	1050mm

#### Technical Configuration

<input checked="" type="checkbox"/> Bed Frame	1pc	<input checked="" type="checkbox"/> Arm Holder with Cushion	2pcs
<input checked="" type="checkbox"/> Mattress	1set	<input checked="" type="checkbox"/> Leg Support with Cushion	2pcs
<input checked="" type="checkbox"/> Anesthesia Screen Frame	1pc	<input checked="" type="checkbox"/> Foot Support with Cushion	2pcs
<input checked="" type="checkbox"/> Shoulder Holder with Cushion	2pcs	<input checked="" type="checkbox"/> Hand Controller	2pcs



## A106-2 Electric-Hydraulic Operating Table SKT-C

A106-2 is a highly automated electric-hydraulic operating table, which can meet the needs of various surgical operations. The unique design of a super-low position of 500mm, aimed for the brain surgery and ophthalmic surgery.

<p>25° Reverse Trendelenburg</p>	<p>25° Trendelenburg</p>	<p>20° Lateral Tilt left/right</p>	<p>45°/90° Head Plate up/down</p>
<p>80°/20° Back Plate up/down</p>	<p>15°/90° Leg Plate up/down</p>	<p>90° Foot Plate Horizontal Positioning</p>	<p>100mm Kidney Bridge Up</p>



### Technical Parameters

External Length	2085mm
External Width	550mm
Table Height Min.	510mm
Table Height Max.	810mm

### Technical Configuration

<input checked="" type="checkbox"/> Anaesthesia Screen	1 pc	<input checked="" type="checkbox"/> Foot Support	1 pc	<input checked="" type="checkbox"/> Fixing Clamp	7 pcs
<input checked="" type="checkbox"/> Hand Remote	1 pc	<input checked="" type="checkbox"/> Mattress	1 set	<input checked="" type="checkbox"/> Power Line	1 pc
<input checked="" type="checkbox"/> Kidney Bridge Handle	1 pc	<input checked="" type="checkbox"/> Shoulder Support	1 pair		
<input checked="" type="checkbox"/> Arm Support	1 pc	<input checked="" type="checkbox"/> Long Fixing Clamp	1 pair		



360° View

## A302 Electric Operating Table SKL-A

A302 is a highly automated electric Multi-functional operating table. Its elevation, lowering, trendelenburg, reverse trendelenburg, lateral tilt, back folding, vertical translation and leg folding are all electrically operated. The operating table is equipped with a digital display hand controller to make operation easy and intuitive. With Imported large diameter castors, smooth movement, stable brake system. The standard dual control system guarantees the safety of operation.

<b>25°</b> Reverse Trendelenburg 	<b>25°</b> Trendelenburg 	<b>25°</b> Lateral Tilt left/right 	<b>45°/90°</b> Head Plate up/down 	<b>70°/22°</b> Back Plate up/down 
<b>15°/90°</b> Leg Plate up/down 	<b>110mm</b> Kidney Bridge Up 	<b>350mm</b> Horizontal Sliding C type Arm 	<b>110°</b> Flex 	<b>202°</b> Reflex 



Operating Table

### Technical Parameters

External Length	2150mm
External Width	555mm
Table Height Min.	700mm
Table Height Max.	1000mm

### Technical Configuration

<input checked="" type="checkbox"/> Bed Frame	1pc	<input checked="" type="checkbox"/> Arm Holder	2pcs	<input checked="" type="checkbox"/> Sliding Block	8pcs
<input checked="" type="checkbox"/> Mattress	1 set	<input checked="" type="checkbox"/> Leg Support	2pcs	<input checked="" type="checkbox"/> Spanner	5pcs
<input checked="" type="checkbox"/> Anesthesia Screen Frame	1pc	<input checked="" type="checkbox"/> Foot Support	2pcs		
<input checked="" type="checkbox"/> Shoulder Holder	2pcs	<input checked="" type="checkbox"/> Hand Controller	1pc		

# A301

## Electric Operating Table

### SKL-A

A301 is a multi-functional electric operating table. Its mattress is made of polyurethane molded material, can be sterilized and cleaned at high temperature, and there are no gaps so to avoid bacterial growth. The platform is made of high-purity phenolic resin board applicable for C-arm, and can be slid up to 350mm in one direction. The X-ray photography can carry out the whole body radiography examination without moving the patient, no blind spots or shadows.



- 25° Reverse Trendelenburg
- 25° Trendelenburg
- 20° Lateral Tilt left/right
- 30°/90° Head Plate up/down
- 70°/15° Back Plate up/down

- 90° Leg Plate down
- 90° Leg Plate Horizontal Positioning
- 110mm Kidney Bridge Up
- 350mm Horizontal Sliding C type Arm



#### Technical Parameters

External Length	2150mm
External Width	555mm
Table Height Min.	750mm
Table Height Max.	1000mm

#### Technical Configuration

<input checked="" type="checkbox"/> Bed Frame	1pc	<input checked="" type="checkbox"/> Arm Holder	2pcs	<input checked="" type="checkbox"/> Sliding Block	8pcs
<input checked="" type="checkbox"/> Mattress	1set	<input checked="" type="checkbox"/> Leg Support	2pcs	<input checked="" type="checkbox"/> Spanner	5pcs
<input checked="" type="checkbox"/> Anesthesia Screen Frame	1pc	<input checked="" type="checkbox"/> Foot Support	2pcs		
<input checked="" type="checkbox"/> Shoulder Holder	2pcs	<input checked="" type="checkbox"/> Hand Controller	1pc		

# A100-4

## Electric Operation Table

### SKL-A

A100-4 is an electric operating table that can meet the needs of various surgeries. It is driven by low-voltage DC motor, with safe and stable performance. Super wide table top, super long sliding distance. It can be applicable for C-arm. It has a high level of automation, low noise, strong reliability, and imported original parts for key parts. It is a perfect and ideal operating table.



- 25° Reverse Trendelenburg
- 25° Trendelenburg
- 15° Lateral Tilt left/right
- 45°/90° Head Plate up/down
- 75°/20° Back Plate up/down

- 15°/90° Leg Plate up/down
- 90° Leg Plate Horizontal Positioning
- 120mm Kidney Bridge Up
- 300mm Horizontal Sliding C type Arm



#### Technical Parameters

External Length	2070mm
External Width	550mm
Table Height Min.	700mm
Table Height Max.	1000mm

#### Technical Configuration

<input checked="" type="checkbox"/> Bed Frame	1pc	<input checked="" type="checkbox"/> Arm Holder with Cushion	2pcs
<input checked="" type="checkbox"/> Mattress	1set	<input checked="" type="checkbox"/> Leg Support with Cushion	2pcs
<input checked="" type="checkbox"/> Anesthesia Screen Frame	1pc	<input checked="" type="checkbox"/> Foot Support with Cushion	2pcs
<input checked="" type="checkbox"/> Shoulder Holder with Cushion	2pcs	<input checked="" type="checkbox"/> Kidney Bridge Handle	1pc

## A100-4A

### Electric Operating Table SKL-A

A100-4A is an electric operating table with super load-bearing and extra-long sliding distance, which can be applicable for C-arm. The built-in large-capacity battery can continue to support all operations in the event of a power failure. And the operating table adopts a dual-control system to ensure the safety of the operation.



#### Technical Parameters

External Length	2100mm
External Width	550mm
Table Height Min.	710mm
Table Height Max.	1010mm

#### Technical Configuration

✓ Bed Frame	1pc	✓ Arm Holder with Cushion	2pcs	✓ Kidney Bridge Handle	1pc
✓ Mattress	1set	✓ Leg Support with Cushion	2pcs		
✓ Anesthesia Screen Frame	1pc	✓ Foot Support with Cushion	2pcs		
✓ Shoulder Holder with Cushion	2pcs	✓ Hand Controller	1pc		

## A2000

### Electric Operating Table SKL-A

A2000 is a basic electric operating table with a very high cost effective, it can fulfill the requirement of general surgeries. Its built-in battery can continue to support all operations in the event of a power failure.



#### Technical Parameters

External Length	2100mm
External Width	480mm
Table Height Min.	680mm
Table Height Max.	930mm

#### Technical Configuration

✓ Bed Frame	1pc	✓ Arm Holder	2pcs	✓ Sliding Block	10pcs
✓ Mattress	1set	✓ Leg Support	2pcs	✓ Spanner	4pcs
✓ Anesthesia Screen Frame	1pc	✓ Foot Support	2pcs		
✓ Shoulder Holder	2pcs	✓ Hand Controller	1pc		

# A3008B-1

## Manual Operating Table

SK1F-R



### Technical Parameters

External Length	1940mm
External Width	480mm
Table Height Min.	770mm
Table Height Max.	1020mm

### Technical Configuration

<input checked="" type="checkbox"/> Lumbar Support	2pcs	<input checked="" type="checkbox"/> Anesthesia Screen Frame	1pc
<input checked="" type="checkbox"/> Arm Holder	2pcs		
<input checked="" type="checkbox"/> Leg Support	2pcs		
<input checked="" type="checkbox"/> Shoulder Holder	2pcs		

Multi-functional Orthopedic Frame



Gel Mattress



Connecting Multi-functional Orthopedic Frame



Carbon Fiber Multi-functional Orthopedic Frame



Multi-purpose Head Rack



Shoulder Traction Frame



Stirrup Pneumatic Power Leg Rack



Bow Spine Operating Supporter



Mechanical Power IV Pole



Operating Table Accessories Cart



Knee Surgery Rack



Double Table Top



Prone Body Supporting Frame



Arm Microsurgical Rack



Bed Surface Widening Module



External Kidney Bridge



Dirt Basin




Body Safe Strap





**LUXI** series  
LED  
OPERATION  
LAMP



		SK-LLD0404D	SK-LLD0303D	SK-LLD04D	SK-LLD03D
Diameter of lighthouse	mm	700/700	615/615	700	615
Illumination	Lux	160000/160000	140000/140000	160000	140000
Color Temperature	Kelvin	3500-5000	3500-5000	3500-5000	3500-5000
Color Rendering Index(CRI)	Ra	≥96	≥96	≥96	≥96
Temperature rise(Surgeon head)	°C	≤2	≤2	≤2	≤2
Temperature rise(Surgical field)	°C	≤1	≤1	≤1	≤1
Effective Focusing Depth	cm	100	100	100	100
Lighting Spot Size	cm	10-25	10-25	10-25	10-25
L1+L2 depth of illumination	cm	100	100	100	100
Average Bulb Life	hours	≥50000	≥50000	≥50000	≥50000

Illumination/Lighting Spot Size: at 1m


## IXUS / series LED Operation Lamp



		SK-LLD7272C	SK-LLD7252C	SK-LLD72C	SK-LLD52C	SK-LLY72C	SK-LLY52C
Diameter of lighthouse	mm	720/720	720/520	720	520	720	520
Illumination	Lux	160000/160000	160000/160000	160000	160000	160000	160000
Color Temperature	Kelvin	3000-6700	3000-6700	3000-6700	3000-6700	3000-6700	3000-6700
Color Rendering Index(CRI)	Ra	≥98	≥98	≥98	≥98	≥98	≥98
Temperature rise(Surgeon head)	°C	≤1	≤1	≤1	≤1	≤1	≤1
Temperature rise(Surgical field)	°C	≤2	≤2	≤2	≤2	≤2	≤2
Effective Focusing Depth	cm	130	130	130	110	130	110
Lighting Spot Size	cm	10-35	10-35	10-35	10-35	10-35	10-35
L1+L2 depth of illumination	cm	100	100	100	100	100	100
Average Bulb Life	hours	≥60000	≥60000	≥60000	≥60000	≥60000	≥60000

Illumination/Lighting Spot Size: at 1m

## WILLYS / series LED Operation Lamp



		SK-LLD7070A	SK-LLD7050A	SK-LLD70A	SK-LLD50A	SK-LLY70A	SK-LLY50A
Diameter of lighthouse	mm	700/700	700/500	700	500	700	500
Illumination	Lux	180000/180000	180000/160000	180000	160000	180000	160000
Color Temperature	Kelvin	3700-5000	3700-5000	3700-5000	3700-5000	3700-5000	3700-5000
Color Rendering Index(CRI)	Ra	85-95	85-95	85-95	85-95	85-95	85-95
Temperature rise(Surgeon head)	°C	≤1	≤1	≤1	≤1	≤1	≤1
Temperature rise(Surgical field)	°C	≤1	≤1	≤1	≤1	≤1	≤1
Effective Focusing Depth	cm	60-130	60-130	60-130	60-130	60-130	60-130
Lighting Spot Size	cm	16-28	16-28	16-28	16-28	16-28	16-28
L1+L2 depth of illumination	cm	130	130	130	130	130	130
Average Bulb Life	hours	≥80000	≥80000	≥80000	≥80000	≥80000	≥80000

Illumination/Lighting Spot Size: at 1m


## SK-PQ001

### Medical Bridge Ceiling Pendant (separate wet and dry areas)

The ICU medical bridge ceiling pendant (separate wet and dry areas) is a medical rescue auxiliary equipment;

Features:


1. There are multi-layer instrument platforms in wet (gas) and dry (electric) areas;
2. The height of drawers can be adjusted;
3. With retractable IV pole, with four hooks;
4. The function columns and cabinets built in rotation limit device to prevent the drift;



## SK-PQ004

### Multi-arm Medical Ceiling Pendant

The multi-arm combined medical bridge ceiling pendant is suitable for compact ICU rooms, the combination of flexible arms and function columns can make full use of the space of the ICU rooms.



## SK-PT001

### Single Arm Medical Bridge Ceiling Pendant

The single arm medical bridge ceiling pendant, meeting the daily load-bearing requirements and using strong material, made of imported antibacterial plastic powder, ensuring the cleanliness of the operating environment. Its rich accessories matching various systems, greatly extending the clinical practicability.



## SK-PT002

### Single Arm Medical Endoscopic Bridge Ceiling Pendant

The single arm medical endoscopic bridge ceiling pendant is endoscopy surgery auxiliary equipment, meeting the daily load-bearing requirements and using strong material, made of imported antibacterial plastic powder, ensuring the cleanliness of the operating environment. Its rich accessories matching various systems, greatly extending the clinical practicability.



Mattress (OEM Size)

SKP001



SKP011



SKP006

Air Mattress



Mattress

Arrangement	2.5" bubble pad	Dimension	2000×900×70mm
Material	medical grade PVC	Weight	3kg

SKP013

Air Mattress



Mattress

Standard Size	80"×32"×5"	Bottom	tarpaulin /nylon PU
Top cover	Nylon PU /strength	Mattress weight	5.5-7kg
Air cells	Nylon / PVC/TPU	Weight Capacity	135-145kg

SKP012

Air Mattress



Mattress

Standard Size	80"×32-36"	Bottom	tarpaulin /nylon PU
Top cover	Nylon PU /strength	Mattress weight	5.5-6.5kg
Air cells	Nylon / PVC/TPU	Weight Capacity	135-145kg

SKP015

ICU Air Mattress



Mattress

Standard Size	80"×32"×8"	Bottom	tarpaulin /nylon PU
Top cover	Nylon PU /strength	Mattress weight	10kg
Air cells	Nylon / PVC/TPU	Weight Capacity	180kg

Mattress



### SKS009-2

Phenolic Resin Bedside Table

#### Technical Parameters

External Size	510x480x750mm
Dining Table Max. Height	950mm

#### Technical Configuration

✓ Top Guardrail	Stainless Steel
✓ Drawer	1 pc
✓ Cabinet	1 pc
✓ Casters	4 pcs
✓ Side Pull-up Writing Board	1 pc



### SKS025

Phenolic Resin Bedside Table

475x475x800mm(LxWxH)

### SKH046-11

Overbed Table

Technical Parameters

800x395x870-1170mm

Technical Configuration

- ✓ Air Spring for Height Adjustment
- ✓ Phenolic Resin Table Top

300mm  
Height  
Adjustment



### SKS02-W

ABS Bedside Table

475x465x745mm(LxWxH)



### SKS03-W

ABS Bedside Table

480x460x950mm(LxWxH)



### SKS007-4

Steel Bedside Table

440x460x810mm(LxWxH)



### SKH046-2

Overbed Table

290mm  
Height  
Adjustment



Technical Parameters

890x445x760-1050mm

Technical Configuration

- ✓ Air Spring for Height Adjustment
- ✓ ABS Table Top with Cup Socket



### SKH046-14

Overbed Table

300mm  
Height  
Adjustment



Technical Parameters

890x400x890-1190mm

Technical Configuration

- ✓ Air Spring for Height Adjustment
- ✓ ABS Table Top with Cup Socket and Push Handle



### SKS036

Bedside Table

440x440x790mm(LxWxH)



### SKS008

ABS+Steel Bedside Table

500x510x705mm(LxWxH)



### SKS013-1

ABS+Steel Bedside Table


575x500x750mm(LxWxH)



### SKH042

Overbed Table

300mm  
Height  
Adjustment



Technical Parameters

800x410x810-1110mm

Technical Configuration

- ✓ Air Spring for Height Adjustment
- ✓ MDF Table Top



### SKH046-1

Telescopic Dining Board

150mm  
Telescopic



Technical Parameters

870-1016x350mm

Technical Configuration

- ✓ Hook



### SKE001

Attendant Chair

#### Technical Parameters

Seat Size	680×720×940mm
Bed Size	680×1900×590mm



### SKE001-5

Therapy Chair

#### Technical Parameters

Seat Size	780×650×450mm
Bed Size	2060×650×450mm



### SKE091

Blood Donation Chair

#### Technical Parameters

Seat Size	560×1030×1200mm
Bed Size	560×1650×470mm



### SKE941

Therapy Chair

#### Technical Parameters

Seat Size	540×460×560mm
Bed Size	1100×770×1280mm



### SKE001-10

Attendant Sofa

#### Technical Parameters

Seat Size	850×1000×850mm
Bed Size	600×1880×430mm



### SKE014-9

Attendant Sofa

#### Technical Parameters

Seat Size	1450×1000×850mm
Bed Size	1200×1880×430mm



### SKE942

Therapy Chair

#### Technical Parameters

Seat Size	530×500×520mm
Bed Size	1205×668×1180mm



### SKE943

Therapy Chair

#### Technical Parameters

Seat Size	480×510×520mm
Bed Size	1400×730×520mm



# SKE-188A

## Electric Chemotherapy Chair

0° - 70°  
Back Section  
Adjustment



0° - 60°  
Leg Section  
Adjustment



520-680mm  
Height  
Adjustable





### Technical Parameters

External Length	2000mm
External Width	680mm
Bed Height Min.	520mm
Bed Height Max.	680mm

### Technical Configuration

<input checked="" type="checkbox"/> Flexible Mattress	1 set	<input checked="" type="checkbox"/> Hand Controller	1 pc
<input checked="" type="checkbox"/> Flexible Pillow	1 pc		
<input checked="" type="checkbox"/> Headboard	1 pc		
<input checked="" type="checkbox"/> Aluminum Alloy Lifting Barrier	2 pcs		

# SKE-135

Electric Two Function Dialysis Chair

-10° - 70°  
Back Section  
Adjustment



-70° - 0°  
Leg Section  
Adjustment



### Technical Parameters

1800×550×550mm

### Technical Configuration


- Hand Controller
- Power Line
- 3" Silent Caster




# SKE-133

Electric Three Function Dialysis Chair


-8° - 70°  
Back Section  
Adjustment



-60° - 0°  
Leg Section  
Adjustment



550-750mm  
Height  
Adjustable



### Technical Parameters

2000×580×(550-750)mm

### Technical Configuration

- Hand Controller
- Power Line
- 3" Silent Caster
- With CPR
- Small Dining Table



# SKE-132

Electric Two Function Dialysis Chair

0° - 70°  
Back Section  
Adjustment



-70° - 0°  
Leg Section  
Adjustment



### Technical Parameters

1750×580×530mm

### Technical Configuration


- Hand Controller
- Power Line
- 3" Silent Caster
- Small Dining Table




# SKE-134

Electric Three Function Dialysis Chair


-8° - 70°  
Back Section  
Adjustment



-50° - 0°  
Leg Section  
Adjustment



550-700mm  
Height  
Adjustable



### Technical Parameters

1910×580×(550-700)mm

### Technical Configuration

- Hand Controller
- Power Line
- 3" Silent Caster
- Small Dining Table






### SKE909 Reclining Sofa

#### Technical Parameters

Seat Size	640×900mm
Bed Size	640×1950mm



### SKE087 Reclining Chair

#### Technical Parameters

Seat Size	820×850×1070mm
Bed Size	820×1600×450mm



Teacup Mat



### SKE090 Blood Donation Chair

#### Technical Parameters


Seat Size	910×480×960mm
-----------	---------------

#### Technical Configuration

<input checked="" type="checkbox"/> Arm	2pcs
<input checked="" type="checkbox"/> Anti-slip Feet Cover	4pcs



### Treat-waiting Chair



SKE011-1  
Material: PU  
1630×665×850mm(L×W×H)



SKE011-2  
Material: PU  
1780×710×900mm(L×W×H)



SKE011  
Material: PU  
1770×605×845mm(L×W×H)



SKE006-1  
Material: PVC  
1655×675×870mm(L×W×H)



SKE006-2  
Material: PU  
1800×640×840mm(L×W×H)

**SKE180**  
Electric Wheelchair  
Size: 1150×650×950mm



**SKE030**  
Wheelchair  
Powder Coated Steel Structure  
Seat Dimension: 395×455mm  
Size: 1030×650×870mm



**SKE718**  
Aluminium Alloy Wheelchair  
Size: 1000×650×925mm



**SKE697**  
Wheelchair (widened)  
Size: 1100×720×930mm



**SKE709**  
Children's Wheelchair  
Size: 970×525×890mm



**SKE031**  
Commode Chair  
Height Adjustable, with Foot Pedal  
Aluminium Folding Frame, Plastic  
Size: 880×530×900mm



**SKE052**  
Office Chair  
Powder Coated Steel Structure  
Back and Seat Section with the Elastic Fabrics  
Size: 480×470×780mm



**SKE711**  
Office Chair  
Mesh Chair Back-high-quality Mesh with Recycled  
Sponge, Plastic Handrail  
Size: 500×580×500-600mm



**SKE802**  
Dental Chair  
Chrome Plated Structure with Polyurethane Foam Seat  
Size: Ø350×450-560mm



**SKE015-2**  
Nurse Stool  
Chrome Plated Structure with PU Foam Seat Top  
Size: Ø340×490-680mm



**SKE801**  
Nurse Stool  
Stainless Steel Base with PU Leather,  
High Density Sponge Seat  
Size: Ø350×490-630mm



**SKE015-5**  
Nurse Stool  
Chrome Plated Structure with PU Leather,  
High Density Sponge Seat  
Size: Ø330×445-575mm



**SKE013**  
Nurse Stool  
Chrome Plated Structure with PU Foam Seat Top  
Size: Ø330×445-575mm



**SKE015-4**  
Nurse Stool  
Chrome Plated Structure with PU Leather,  
High Density Sponge Seat  
Size: 440×400×450-590mm



**SKE013-10**  
Lab Chair  
Chrome Plated Structure with Polyurethane Foam Seat  
Size: Ø350×435-575mm



**SKE017-4**  
Stainless Steel Surgical Stool  
201 Stainless Steel Structure with 430 Stainless  
Steel Seat  
Size: Ø295×500-700mm



360° View

**SKZ412**  
Office Table  
Size: 1800×800×750mm



**SKZ412-1**  
Side Cabinet  
Size: 800×400×650mm



**SKZ413**  
Meeting Table  
Size: Ø800×750mm



**SKH091**  
Cabinet  
Size: 900×400×1800mm



**SKE702**  
Office Chair  
Mesh Cloth with Nylon Base  
Size: 630×630×890-990mm



**SKE055-8**  
Office Chair  
Mesh Chair Back-high-quality Mesh with  
Recycled Sponge, Plastic Handrail  
Size: 580×635×950mm



**SKE020-1**  
Step Stool  
Size: 490×405×170/340mm



**SKH049**  
Stainless Steel Screen  
Size: 2000×1870mm





**SK-CL001** SK-CL501  
Curtain Track



**SKZ238**  
Office Table  
Size: 1400×600-1040×750mm



**SKZ252**  
Office Chair  
Size: 650×640×965mm



**SKH034**  
Trash Can



12L

**SKH034-5**  
Kick Bucket  
Size: Φ400×H360×14L



14L

## SKH041-3

I.V. Stand

**Function**

Height Adjustment 1350-2250mm

**Material**

IV Pole Outer Tube: Φ25×1000mm (Stainless Steel)

IV Pole Inner Tube: Φ16×1200mm (Stainless Steel)



## SKH041(1)

I.V. Stand

**Function**

Height Adjustment: 1380-2240mm

**Material**

IV Pole Outer Tube  
Φ25×1000mm (Stainless Steel)

IV Pole Inner Tube  
Φ16×1200mm (Stainless Steel)



## SKH041(13)

I.V. Stand

**Function**

Height Adjustment: 1420-1850mm

**Material**

IV Pole Outer Tube  
Φ32×800mm (Stainless Steel)

IV Pole Inner Tube  
Φ25×530mm (Stainless Steel)  
Φ16×430mm (Stainless Steel)



## SKH041(17)

I.V. Stand

**Function**

Height Adjustment: 1100-2100mm

**Material**

IV Pole Outer Tube  
Φ25×900mm (Stainless Steel)

IV Pole Inner Tube  
Φ19×1100mm (Stainless Steel)



### SKB1A01

Foldable Stretcher  
SKA-1C

Material: Aluminium Alloy Pipe & Canvas Fabric



#### Technical Parameters

Full Size	2140×560×110mm
Folded Size	580×195×160mm
Net Weight	6kg
Load Bearing	159kg



4-fold

### SKB1A04


Foldable Stretcher  
SKA-1D

Material: Aluminium Alloy & Canvas Fabric



#### Technical Parameters

Full Size	1850×500×220mm
Folded Size	920×500×70mm
Net Weight	7.5kg
Load Bearing	159kg




[B] 4-fold

[A] 2-fold

### SKB2B01

Scoop Stretcher  
SKX-B1

Material: Aluminium alloy



#### Technical Parameters

Full Size	2020×420×70mm
Folded Size	1180×420×70mm
Net Weight	8.5kg
Load Bearing	159kg

### SK-TB008

Field Cot  
SKA-1D


Material: Aluminium Alloy & Canvas Fabric



#### Technical Parameters

Full Size	1910×640×420mm
Folded Size	930×260×90mm
Net Weight	8.5kg
Load Bearing	159kg

### SPINE BOARD



SKB2A10  
SKB-1A  
1380×350×50mm

SKB2A14  
SKB-2A  
1830×450×60mm


SKB2A11  
SKB-2A  
1830×450×45mm

SKB2A12  
SKB-4A  
1840×450×60mm

SKB2A13  
SKB-3A  
1860×410×50mm

### SKB1C10

Electric Stair Stretcher  
SKW-B2



#### Technical Parameters

Full Size	1080×520×1030mm
Folded Size	1080×521×242mm

### SKB039(E)

Ambulance Stretcher Trolley  
SKC-3F5



#### Technical Parameters

Full Size	1960×550×860mm	Net Weight	45kg
Lowest Size	1960×550×250mm	Load Bearing	159kg
Back-rest	75°		

### SKB039(D)

Ambulance Stretcher Trolley  
SKC-3B5



#### Technical Parameters

Full Size	1900×550×900mm	Net Weight	40kg
Lowest Size	1900×550×250mm	Load Bearing	159kg
Back-rest	75°		

**SKB039(G)**

Stretcher Trolley

SKC-3B5



## Technical Parameters

Length	2000mm
Width	560mm
Min. Height	380mm
Max. Height	1000mm

## Technical Configuration

✓ Nylon Adjustable Guardrails	2pcs	✓ Stretcher Fastening Lock	1pc
✓ Thickened Sponge Waterproof PVC Mattress	1pc	✓ Oxygen Cylinder Holder	1pc
✓ Safety Belt	2pcs	✓ Castors	6pcs
✓ Telescopic IV Pole	1pc		

**SKB039(F)**

Stretcher Trolley

SKC-3F5



## Technical Parameters

Length	2000mm
Width	570mm
Min. Height	260mm
Max. Height	825mm

## Technical Configuration

✓ Nylon Adjustable Guardrails		✓ Stretcher Fastening Lock	1pc
✓ Thickened Sponge Waterproof PVC Mattress	1pc	✓ Castors	6pcs
✓ Safety Belt	2pcs		
✓ Telescopic IV Pole	1pc		

**SKB037(A)**

Stretcher Trolley

SKM-A

Size: 1960×600×810mm

**SKB037(B)**

Patient Trolley

SKM-C

Size: 1960×520×770mm

70°  
Back-rest**SKB037(C)**

Patient Trolley

SKM-G

Size: 1930×760×620-900mm

75°  
Back-rest35°  
Knee-rest280mm  
Height  
Adjustment  
620-900mm**SKB038-2**

Patient Trolley

SKM-E


Size: 1900×700×620-900mm

65°  
Back-rest280mm  
Height  
Adjustment  
620-900mm**SKB038-4**

Patient Trolley

SKM-E

Size: 1900×700×620-900mm

65°  
Back-rest280mm  
Height  
Adjustment  
620-900mm**SKB041-3S**

Hydraulic Patient Trolley

SKM-E

Size: 2150×790×635-895mm

60°  
Back-rest260mm  
Height  
Adjustment  
635-895mm

## SKB041-1

### Patient Transportation Trolley

SKM-F

<b>70°±10°</b> Back-rest	<b>300mm</b> Height Adjustment 550-850mm
-----------------------------	--



#### Technical Parameters

Length	1900mm
Width	640mm
Min. Height	550mm
Max. Height	850mm

#### Technical Configuration

✓ Crank System	1 set	✓ Directional Wheel	1pc	✓ Central Locking Break Pedal	2pcs
✓ Back Rest Gas Spring	1pc	✓ IV Pole Previsions	2pcs	✓ Transfer Mattress	1pc
✓ ABS Side Rail	1 set	✓ IV Pole	1 set	✓ Directional Pedal	2pcs
✓ 6" Castors with Central Locking	4pcs	✓ Oxygen Cylinder Holder	1pc		

## SKB041-2

### Patient Transportation Trolley

SKM-F

<b>75°±10°</b> Back-rest	<b>310mm</b> Height Adjustment 650-960mm	<b>15°</b> Reverse Trendelenburg	<b>15°</b> Trendelenburg
-----------------------------	--	-------------------------------------	-----------------------------



#### Technical Parameters

Length	1910mm
Width	640mm
Min. Height	650mm
Max. Height	960mm

#### Technical Configuration

✓ Hydraulic Pump	2pcs	✓ Directional wheel	1pc	✓ Directional Pedal	2pcs
✓ Back Rest Gas Spring	1pc	✓ IV Pole Previsions	2pcs	✓ Transfer Mattress	1pc
✓ ABS Side Rail	1 set	✓ IV Pole	1 set		
✓ 8" Castors, Central Locking	4pcs	✓ Central Locking Break Pedal	2sets		

## SKB041-3

### Patient Transportation Trolley

SKM-G

<b>85°±10°</b> Back-rest	<b>45°</b> Knee-rest	<b>310mm</b> Height Adjustment	<b>15°</b> Reverse Trendelenburg	<b>15°</b> Trendelenburg
-----------------------------	-------------------------	-----------------------------------	-------------------------------------	-----------------------------



#### Technical Parameters

Length	2120mm
Width	840mm
Height (X-ray Backrest)	550-860mm
Height (X-ray Platform)	600-910mm

#### Technical Parameters

✓ USA Hydraulic Pump	2pcs	✓ Directional Wheel	1pc	✓ Ø74mm Wall Bumper Wheel	4pcs
✓ Crank System	1 set	✓ Folding Side Rail	1 set	✓ Central Locking Break Pedal	2sets
✓ Back Rest Gas Spring	2pcs	✓ IV Pole	1 set	✓ Directional Wheel Release Pedal	2pcs
✓ 8" Castors, Central Locking	4pcs	✓ IV Pole Previsions	4pcs	✓ X-ray Translucent Bed Platform	1 set
✓ Emergency Push Handle	1 set	✓ Mattress	1pc		

# SKB041-6

Patient Transportation Trolley

SKM-F



### Technical Parameters

Length	1930mm
Width	660mm
Min. Height	510mm
Max. Height	850mm

### Technical Parameters

<input checked="" type="checkbox"/> Crank System	1 set	<input checked="" type="checkbox"/> Directional Wheel	1 pc	<input checked="" type="checkbox"/> Oxygen Cylinder Holder	1 pc
<input checked="" type="checkbox"/> Back Rest Air Spring	1 pc	<input checked="" type="checkbox"/> Directional Pedal	2 pcs	<input checked="" type="checkbox"/> Central Locking Break Pedal	4 pcs
<input checked="" type="checkbox"/> Plastic Side Rail	1 set	<input checked="" type="checkbox"/> IV Pole Previsions	2 pcs	<input checked="" type="checkbox"/> Transfer Mattress	1 pc
<input checked="" type="checkbox"/> 6" Castors, Central Locking	4 pcs	<input checked="" type="checkbox"/> IV Pole	1 set	<input checked="" type="checkbox"/> Safe Lock for Side Rail	2 pcs

# SKB041-10

Patient Transportation Trolley

SKM-G



### Technical Parameters

Length	2150mm
Width	830mm
Min. Height	560mm
Max. Height	890mm

### Technical Parameters

<input checked="" type="checkbox"/> Crank System	1 set	<input checked="" type="checkbox"/> Directional Wheel	1 pc	<input checked="" type="checkbox"/> Central Locking Break Pedal	4 pcs
<input checked="" type="checkbox"/> Back Rest Air Spring	1 pc	<input checked="" type="checkbox"/> Directional Pedal	2 pcs	<input checked="" type="checkbox"/> Transfer Mattress	1 pc
<input checked="" type="checkbox"/> Plastic Side Rail	1 set	<input checked="" type="checkbox"/> IV Pole Previsions	2 pcs	<input checked="" type="checkbox"/> Safe Lock for Side Rail	2 pcs
<input checked="" type="checkbox"/> 6" Castors, Central Locking	4 pcs	<input checked="" type="checkbox"/> IV Pole	1 set	<input checked="" type="checkbox"/> Emergency Push Handle	1 set
<input checked="" type="checkbox"/> USA Hydraulic Pump	2 pcs	<input checked="" type="checkbox"/> Back Rest Gas Spring	1 pc	<input type="checkbox"/> Device platform	1 pc
<input checked="" type="checkbox"/> Wall Bumper Wheel	4 pcs	<input checked="" type="checkbox"/> Oxygen Cylinder Holder	1 pc		

**SKR-AB00**

New All-in-One Computer Cart  
Size: 490×460×780-1030mm



**SKR-A01**

Simple All-in-one Computer Cart  
Size: 650×490×1260mm



**SKR-B00**

Simple All-in-one Computer Cart  
Size: 533×455×750-1150mm



**SKR-IB00**

Simple Laptop Cart  
Size: 533×455×750-1150mm



**SKR-R10**

ECG Machine Cart  
Size: 350×300×780mm



**SKR-J21**

Endoscopic System Equipment Cart  
Size: 665×630×1650mm



**SKR-R06**

Monitor Cart  
Size: 510×1000mm



**SKR-R05**

Tablet Cart  
Size: 510×830mm



**SKR-R03**

Laptop Cart  
Size: 530×520×850mm



**SKR-R04**

Ward Rounds Cart  
Size: 540×600×1490mm



**SKR-R02**

Mobile Multi-function Information Search Cart  
Size: 620×540×1460mm



**SKR-R01**

Information Nursing Cart  
Size: 520×620×1315mm



**SKR054-ET77A**

Emergency Trolley  
Size: 750×475×950mm



**Technical Configuration**

✓ Defibrillator shelf	1 pc	✓ IV pole	1 pc	✓ Central Lock	1 set
✓ Sliding Side Shelf	1 pc	✓ CPR Board	1 pc	✓ File Box	1 pc
✓ Sharp Container	1 pc	✓ Oxygen Bottle Holder	1 pc		
✓ Dust Baskets	2 pc	✓ Power Outlet	1 pc		

### SK-ET750

Emergency Trolley  
Size: 750×530×1050mm

#### Technical Configuration

✓ Defibrillator shelf	1 pc
✓ Sliding Side Shelf	1 pc
✓ Dust Baskets	1 pc
✓ IV pole	2pc
✓ Castor	4pcs
✓ Trash Can	2pcs
✓ Central Lock	1 pc
✓ External Connectors	1 set



### SKR058-ET

Emergency Trolley  
Size: 790×610×1000mm



#### Technical Configuration

✓ Defibrillator shelf	1 pc	✓ IV pole	1 pc	✓ Sealed Handle	1 pc
✓ Sliding Side Shelf	1 pc	✓ Castor	4pcs		
✓ Writing Board	1 pc	✓ Oxygen Bottle Holder	1 pc		
✓ CPR Board	1 pc	✓ Trash Can	1 pc		

### SKR058-MT

Anesthesia Trolley  
Size: 820×640×1080mm



### SKR058-NT

Nursing Trolley  
Size: 680×640×1150mm



**SK-ET75077A**

Emergency Trolley  
Size: 750×475×930mm



**SK-AT75077A2**

Anesthesia Trolley  
Size: 750×475×930mm



**SK-CT75077C2**

Treatment Trolley  
Size: 750×475×920mm



**SKR-ET850**

Emergency Trolley  
Size: 850×520×990mm



**SKR-ET625**

Emergency Trolley  
Size: 625×475×930mm



**SKR-AT625-1**

Anesthesia Trolley  
Size: 625×475×930mm



**SKR-MT625**

Medicine Trolley  
Size: 625×475×930mm



**SKR-CT625-1**

Clinical Trolley  
Size: 625×475×920mm



**SKR-CT600**

Clinical Trolley  
Size: 1100×470×1000mm



**SKR-MT606**

Clinical Trolley  
Size: 1100×470×1100mm



**SKR-CT232**

Clinical Trolley  
Size: 780×475×1000mm



**SKR-CT601**

Clinical Trolley  
Size: 1100×470×1150mm



**SKR021-5**

Case History Trolley  
Size: 750×410×895mm



**SKH040**

Laundry Trolley  
Size: 800×600×840mm



**SKH040-1G**

Laundry Trolley  
Size: 800×600×865mm



**SKH027**

Laundry Trolley  
Size: 900×450×1050mm



**SKH006C**

Instrument Trolley  
(Disassembly structure)  
Size: 670×450×900mm



**SKH001**

Treatment Trolley  
Size: 670×450×900mm



**SKH004**

Instrument Trolley  
Size: 670×450×900mm



**SKH006-5**

Treatment Trolley  
Size: 460×460×860mm



**SKH005**

Fan-shaped Instrument Trolley  
Size: L: 1550×460×900mm



**SKH012**

Insulated Food Cart  
Heat store type  
Size: 1030×550×980mm



**SKH013**

Stainless Steel Trolley  
for Medical Record Holder (40 shelves)  
Size: 630×430×900mm



**SKH070**

Work Table  
Size: 1200×600×800mm




**SKH036**


Stainless Steel Washing Sink  
Size: 1200(W)×600(D)×1100(H)mm



Size: 600(W)×600(D)  
×1100(H)mm



Size: 1800(W)×600(D)  
×1100(H)mm



Size: 2400(W)×600(D)  
×1100(H)mm



**SKH105**

Wet Linen Trolley  
Size: 815×610×750mm



**SKH048**

Oxygen Bottle Trolley  
Size: 1435×360×1040mm



**SKN001**

Stainless Steel Tank  
 Φ 170mm Φ 200mm Φ 230mm  
 Φ 260mm Φ 300mm



**SKN002**

Stainless Steel Cream Gauze Can  
 Φ 80×80mm Φ 90×90mm  
 Φ 100×100mm Φ 120×120mm  
 Φ 141×126mm Φ 160×154mm



**SKN011**

Stainless Steel Sterilization Tray  
 Without holes:      With holes:  
 150×100×42mm      150×100×42mm  
 200×110×45mm      200×110×45mm  
 250×160×48mm      250×160×48mm  
 300×200×50mm      300×200×50mm



**SKN012**

Stainless Steel Tray  
 300×200×48mm      350×250×48mm  
 400×300×48mm      450×300×48mm



**SKN021**

Stainless Steel Needle Sterilizer  
 Size: 77holes 105holes



**SKN022**

Stainless Steel Medicine-change Bowl  
 Φ 180mm Φ 200mm Φ 220mm  
 Φ 240mm Φ 260mm



**SKN031**

Stainless Steel Kidney Dish  
 Shallow:      Deep:  
 L204×130mm      L243×125mm  
 M190×116mm      M203×102mm  
 S178×104mm      S165×80mm



**SKN032**

Stainless Steel Sterilized Bottle/  
 Medicine Cup  
 Sterilized bottles:  
 Φ 50×103mm Φ 50×93mm Φ 50×83mm Φ 50×53mm



**SKN041**

Stainless Steel Soak Forceps Bucket/  
 Measuring Cup/Enema Bucket  
 Measuring cup:      Enema bucket:  
 1L Φ 100×150mm      1L Φ 100×150mm  
 2L Φ 130×190mm      2L Φ 130×190mm



**SKN042**

Stainless Steel Forceps Bucket  
 Inverted cone:  
 Φ 80×198mm  
 Φ 64×158mm  
 Φ 45×113mm



**SKH098-4**

Locker  
 Size: 900×500×1800mm



**SKH090L**

Cabinet  
 Size: 900×400×1800mm



**SKH092**

Cabinet  
 Size: 900×400×1800mm



**SKH093**

Cabinet  
 Size: 900×400×1800mm



**SKH300S**

ABS Removable Locker  
 Size: 776×508×1940mm  
 Door: 388×508×930mm



**SKH900XL**

ABS Removable Locker  
 Size: 1164×508×1940mm  
 Door: 388×508×930mm



**SKH600L**

ABS Removable Locker  
 Size: 1164×508×1940mm  
 Door: 388×508×620mm



**SKH450M**

ABS Removable Locker  
 Size: 1164×508×1940mm  
 Door: 388×508×465mm



**SKH059**

Single-sided  
 Medicine Shelf  
 Size: 800×460×2000mm



**SKH060**

Rotary  
 Medicine Shelf  
 Size: 920×1780mm



**SKH061**

Adjustable Component  
 Medicine Shelf  
 Size: 1025×500×2000mm



**SKH062**

Two-sided Adjustable  
 Medicine Tray  
 Size: 800×860×2000mm



**SKH059-1**  
 Size: 800×860×2000mm