

EMERGENCY DEPARTMENT



www.abalance.co.il

Real life heroes

CONTENTS

AMBULANCE STRETCHER	03-08	FIRE BLANKET	43	PE TAPE	55
STRETCHER PLATFORM	09	EMERGENCY SLEEPING BAG	43	GAUZE SWAB STERILE OR NON STERILE	56
STAIR STRETCHER	10-11	SMPLE RESPIRATOR	44	TOURNIQUET	56
FOLDING STRETCHER	13-16	ANAESTHETIC MASK	45	OXYGEN REGULATOR	58
SCOOP STRETCHER	17-19	OXYGEN MASK	46	FINGER PULSE OXIMETER	59
BASKET STRETCHER	21-22	VENTURI MASK	46	ELECTROMIC BLOOD PRESSURE MONITOR	59
SPINE BOARD	23-25	CPR MASK	47	MANUAL STETHOSCOPE	60
PVC KENDRICK EXTRICATION DEVICE	26	MOUTH TO MOUTH MASK	47	PATIENT MONITO	60
PE CERVICAL COLLAR	27	LATEX GLOVES	48	PATIENT MONITO	61
TRACTION SPLINT SET	28	NITRILE GLOVES	48	MANUAL SUCTION PUMP	61
TRANSFER SHEET	29	ICE PACK	49	INFRARED THERMOMETER	62
VACUUM MATTRESS STRETCHER	30	SAFETY GOGGLES	49	DIGITAL THERMOMETER	62
FIRST AID KIT	32-38	BURN GEL DRESSING	50	TOURNIQUET	64
MEDICAL SCISSORS	40	BURN SPRAY	50	FINGER SPLINT	64
ALUMINUM MOULDABLE SPLINT	41	PLASTER BANDAGE	51	MILITARY EMERGENCY (ISRAEL) BANDAGE	65
EMERGENCY BLANKET	42	ALCOHOL PAD	51	EMERGENCY BLANKET	65
WATERPROOF EMERGENCY BLANKET	42	SOAP WIPE	52	FLASHLIGHT	66
		ANTISEPTIC CLEANSING WIPE	52	ALUMINUM-PLASTIC PLYWOOD	66
		HIGH ELASTIC BANDAGE	53	CHEST STICKERS	67
		FIRST AID BANDAGE	53	SLEEPING BAG	67
		TRIANGULAR BANDAGE	54	WAIST BAG	68
		ZINC OXIDE TAPE	54	PELVIC SPLINT	68
		PAPER TAPE AND NONWOVEN TAPE	55	FOLDING BED/FOLDAWAY STRETCHER	69





AMBULANCE STRETCHER

Technical features

- The electric-powered loading stretcher adopts talented frame structure, good appearance and large capacity.
- It is easy to handle the stretcher through sensor touch keys 4 pivoting wheels turn flexible.
- Sensitive lifting and lowering with infinite height adjustment, it takes only 10s to go up to the highest position and another 10s to go down.
- It has the possibility of enlargement and shortening to easily going through navigate area (like in the elevators).
- Telescoping range is 0-400mm.
- Adjustable backrest is 0-85°.
- It is more safe and fast to transfer incubator.

Technical parameters

Model	DW-SS002B
Product Size(L x W x H)	197 x 58 x 112cm
Foldaway (L x W x H)	197 x 58 x 35cm
Maximum angle of the back	60°
Net weight	70kg
Load Limit	160kg
Packing Quantity	1
Packing Size(L x W x H)	200 x 62 x 39cm
Packing G.W	75kg



AMBULANCE STRETCHER

Technical features

- The level height of the stretcher can be adjusted.
- The under carrier and the top stretcher can be separated, used in different rescue spot.
- Gas-assist backrest adjustable.
- Anodised main frame.
- Ø150mm swivel wheels and the rotating direction can be fixed.
- Trendelenburg position by adjust foot part.



Technical parameters

Model	DW-SS003
Product Size(L x W x H)	200 x 56 x 89cm
Foldaway (L x W x H)	204 x 56 x 28cm
Maximum angle of the back	70°
Net weight	40kg
Load Limit	250kg
Packing Quantity	1
Packing Size(L x W x H)	208 x 60 x 34cm
Packing G.W	45kg



AMBULANCE STRETCHER



Technical features

- It's mainly used for hospitals, ambulance and city roads carrying patients and wounded person.
- This stretcher has three-step and two wheels of big and small according to any height of ambulance carriage bottom board. When loading the stretcher up to the ambulance, the lowest height is 64cm.
- The bed surface of the stretcher is made of foamed cushion, the material is waterproof, the backrest is adjustable which makes the wounded feel comfortable.
- The stretcher with safety lock, it must be locked up when transport the patients, and opened out when get on the ambulance.
- The stretcher can be locked up after being aboard through the chute.
- It is made of high-strength Aluminium alloy materials. It characterised by its being light-weighted, use safely and easy for sterilization and clean.
- The size of castor: Ø150mm wide castors.

Technical parameters

Model	DW-SS002
Product Size(L x W x H)	190 x 56 x 88cm
Foldaway (L x W x H)	190 x 56 x 25cm
Maximum angle of the back	60°
Net weight	38kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	193 x 60 x 28cm
Packing G.W	43kg



AMBULANCE STRETCHER

Technical features

- The bed surface of the stretcher is made of waterproof foamed cushion, the back is adjustable which makes the wounded feel comfortable.
- The mechanical folding legs are controlled by the handles on both sides.
- The stretcher can be locked up after being aboard through the chute.
- The stretcher can be arbitrarily adjusted by pneumatic spring, it can be converted into a chair.
- It is made of high-strength Aluminium alloy materials. It is characterised by its being anti-corrosion, use-safely and easy for sterilization and clean.
- It is mainly used in limited space transporting patients, such as lift in hospital, ambulance, city road etc.
- The size of castor: $\varnothing 125\text{mm}$.



Technical parameters

Model	DW-AL001
Product Size(L x W x H)	195 x 56 x 86cm
Foldaway (L x W x H)	195 x 56 x 25cm
Maximum angle of the back	60°
Net weight	30kg
Load Limit	180kg
Packing Quantity	1
Packing Size(L x W x H)	198 x 62 x 27cm
Packing G.W	40kg



AMBULANCE STRETCHER

Technical features

- The product is made of high quality aluminum alloy material, with the foam mattress, easy to clean and disinfect.
- At least needs two peoper carry the stretcher into the ambulance.
- With the fixture, can lock the strecher after inside the ambulance.



Technical parameters

Model	DW-AL003
Product Size(L x W x H)	195 x 55 x 48cm
Maximum angle of the back	60°
Net weight	27kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	195 x 63 x 33cm
Packing G.W	31kg

- The back can be adjustable.
- Two side pull rings can help reduce the reduce the intensity for the operators.



Technical parameters

Model	DW-AL003A
Product Size(L x W x H)	194 x 55 x 48cm
Maximum angle of the back	60°
Net weight	25kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	194 x 63 x 33cm
Packing G.W	29kg

AMBULANCE STRETCHER

Technical features

- This automatic loading stretcher is our latest product, it's made of high-strength aluminum alloy thick-wall pipes.
- The machine is very convenient, one person is enough to send the patient to the ambulance stretcher.
- Also the stretcher can be locked by the fixing devices when on the ambulance car.
- The bed surface is made of foamed cushion and the adjustable back making the wounded feel comfortable.
- And the legs can be folded under the stretcher automatically when loading into the vehicle.
- This type of stretcher is characterized by its being light, durable antiseptic easy for sterilization.



Technical parameters

Model	DW-AL004
Product Size(L x W x H)	190 x 55 x 92cm
Foldaway (L x W x H)	190 x 55 x 25cm
Maximum angle of the back	75°
Net weight	40kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	195 x 62 x 26cm
Packing G.W	46kg



Technical parameters

Model	DW-AL005
Product Size(L x W x H)	190 x 55 x 92cm
Foldaway (L x W x H)	190 x 55 x 26cm
Maximum angle of the back	75°
Net weight	37kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	195 x 62 x 28cm
Packing G.W	43kg

STRETCHER PLATFORM

Technical features

- Made of high-strength aluminum alloy and Stainless Steel thick-wall pipe.
- Adjustable height by handle at the head side.
- Used for carrying patients and the wounded people for the hospitals, emergency centers and gymnasiums.



Technical parameters

Model	DW-FA013A
Product Size(L x W x H)	235 x 59 x 13cm
Net weight	34kg
Load Limit	220kg
Packing Quantity	1
Packing Size(L x W x H)	236 x 69 x 14cm
Packing G.W	39kg

- Surface can be separated from the bed, and it can be used as a stretcher.
- Head can be lifted up to 75°.
- Light, durable, antiseptic and easy for sterilization.



Technical parameters

Model	DW-FA013B
Product Size(L x W x H)	240 x 64 x 14cm
Net weight	20kg
Load Limit	220kg
Packing Quantity	1
Packing Size(L x W x H)	236 x 69 x 20cm
Packing G.W	25kg

STAIR STRETCHER

Technical features

- The size of castor: $\varnothing 150/50\text{mm}$.
- The stretcher with two pieces of belts approves the patient's safety during transport process.
- The stretcher is mainly used for high building's carrying patients and wounded person downstairs. It is mainly made of track transmission structure to transfer patients.
- It is made of high-strength Aluminium alloy materials. It characterised by its being light-weight, small-sized, easy-carried, use-safely and easy for sterilization and clean.

• Only need one person to operate this stretcher.



Technical parameters

Model	DW-ST004
Product Size(L x W x H)	85 x 52 x 137cm
Foldaway (L x W x H)	110 x 54 x 18cm
Net weight	9kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	112 x 56 x 20cm
Packing G.W	35kg



DW-ST003

Technical parameters

Model	DW-ST003
Product Size(L x W x H)	125 x 55 x 163cm
Foldaway (L x W x H)	125 x 55 x 33cm
Net weight	18kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	128 x 65 x 36cm
Packing G.W	35kg



DW-ST004

STAIR STRETCHER

Technical features

- The stretcher is mainly used for high building's lift carrying patients. Only need two persons to operate this stretcher.
- It is made of stainless steel materials. It characterised by its being light-weight, small-sized, easy-carried, use-safely and easy for sterilization and clean.
- The stretcher with two pieces of belts approves the patient's safety during transport process.
- The size of castor: Ø125mm.



Technical parameters

Model	DW-ST008A
Product Size(L x W x H)	90 x 51 x 91cm
Foldaway(L x W x H)	90 x 17 x 59cm
Net weight	8kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	96 x 16 x 54cm
Packing G.W	9.2kg

Technical parameters

Model	DW-ST008A
Product Size(L x W x H)	90 x 51 x 91cm
Foldaway(L x W x H)	90 x 17 x 59cm
Net weight	8kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	96 x 16 x 54cm
Packing G.W	9.2kg



FOLDAWAY STRETCHER

Technical features

- The stretcher is made of high-strength aluminum alloy and oxford leather materials. Used for carrying patients and wounded persons.



Technical parameters

Model	DW-F001
Product Size(L x W x H)	220 x 52 x 12cm
Foldaway(L x W x H)	110 x 52 x 15cm
Net weight	6kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	120 x 54 x 18cm
Packing G.W	7kg

Technical parameters

Model	DW-F001X
Product Size(L x W x H)	186 x 51 x 8cm
Foldaway(L x W x H)	92 x 51 x 10cm
Net weight	4kg
Load Limit	159kg
Packing Quantity	2
Packing Size(L x W x H)	97 x 55 x 19cm
Packing G.W	9kg

FOLDAWAY STRETCHER

Technical features

- The stretcher is made of high-strength aluminum alloy and Oxford materials.
- It characterised by its being light-weighted, small-sized and easy-carried, Use-safety and easy for sterilization It's mainly used for field rescue.



Technical parameters

Model	DW-F001B
Product Size(L x W x H)	186 x 51 x 25cm
Foldaway(L x W x H)	92 x 51 x 13cm
Net weight	7kg
Load Limit	159kg
Packing Quantity	2
Packing Size(L x W x H)	97 x 55 x 20cm
Packing G.W	17kg



Technical parameters

Model	DW-ST008A
Product Size(L x W x H)	208 x 55 x 13cm
Foldaway(L x W x H)	104 x 17 x 9cm
Net weight	5kg
Load Limit	159kg
Packing Quantity	2
Packing Size(L x W x H)	108 x 20 x 20cm
Packing G.W	21kg

FOLDAWAY STRETCHER

Technical features

- The stretcher is made of high-strength aluminum alloy and oxford leather materials.
- It is characterised by its being light-weight, small-sized, easy-carried, use-safely and easy for sterilization.
- It's mainly used for hospitals, sports, ambulance and battle fields carrying patients and wounded person.



Technical parameters

Model	DW-F006
Product Size(L x W x H)	214 x 52 x 12cm
Foldaway(L x W x H)	58 x 21 x 16cm
Net weight	5kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	62 x 28 x 17cm
Packing G.W	5.5kg

Technical features

- The stretcher is equipped of outrigger, portable backpack, made of high-strength aluminum alloy and Oxford materials.
- It characterised by its being light-weighted, small-sized and easy-carried, Use-safety and easy for sterilization
- It's mainly used for field rescue.




Technical parameters

Model	DW-F007X
Product Size(L x W x H)	228 x 57 x 14.5cm
Foldaway(L x W x H)	53 x 22 x 22cm
Net weight	9.6kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	61 x 25 x 24cm
Packing G.W	11.5kg

FOLDAWAY STRETCHER

Technical features

- The main material is high-strength aluminum alloy which is hardened and surface treated.



Technical features

- The main material is high-strength aluminum alloy which is hardened and surface treated.
- Stretcher surface is sewn by Oxford leather or laminated PVC sheet.
- Stretcher can be transformed into chair mode.



Technical parameters

Model	DW-F008
Product Size(L x W x H)	187 x 50 x 4cm
Foldaway(L x W x H)	93 x 50 x 11cm
Net weight	8kg
Load Limit	159kg
Packing Quantity	2
Packing Size(L x W x H)	98 x 56 x 19cm
Packing G.W	17kg

Technical parameters

Model	DW-F009
Product Size(L x W x H)	190 x 53 x 22cm
Foldaway(L x W x H)	103 x 53 x 22cm
Net weight	15kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	105 x 56 x 25cm
Packing G.W	17kg

SCOOP STRETCHER

Technical features

- It's a separable-type scoop stretcher for ambulance to transfer fractured & serious patients.
- The stretcher could strengthen the patients at origin place which could reduce the further hurt to the patients.
- It's mainly used for hospitals, sports, ambulance and battle fields carrying patients and wounded persons.
- The patient can be quickly & easily put in the stretcher and also the stretcher can be taken out from the back of patient without moving the patient.
- It is made of high-strength stainless steel, aluminum alloy and PE materials. It characterized by its being light-weighted, small-sized, easy-carried, use-safely and easy for sterilization and clean.
- Equipped with a clutch hinge in the middle of both ends, which can separate the stretcher into two parts.
- The length of the stretcher can be adjusted according to patient's body.
- The foot-end is designed as a narrow-frame structure.



Technical parameters

Model	DW-SC001
Product Size(L x W x H)	150 x 44 x 7cm
Foldaway(L x W x H)	150 x 44 x 7cm
Net weight	7kg
Load Limit	180kg
Packing Quantity	1
Packing Size(L x W x H)	152 x 46 x 9cm
Packing G.W	9kg

Technical parameters

Model	DW-SC003
Product Size(L x W x H)	210 x 44 x 7cm
Foldaway(L x W x H)	120 x 44 x 9cm
Net weight	8kg
Load Limit	180kg
Packing Quantity	1
Packing Size(L x W x H)	122 x 46 x 11cm
Packing G.W	10kg

SCOOP STRETCHER

Technical features

- It's a separatable-type scoop stretcher for ambulance to transfer fractured & serious patients.
- The stretcher could strengthen the patients at origin place which could reduce the further hurt to the patients.
- It's mainly used for hospitals, sports, ambulance and battle fields carrying patients and wounded persons.
- The patient can be quickly & easily put in the stretcher and also the stretcher can be taken out from the back of patient without moving the patient.
- It is made of high-strength stainless steel, aluminum alloy and PE materials. It characterized by its being light-weighted, small-sized, easy-carried, use-safely and easy for sterilization and clean.



Technical parameters


Model	DW-SC004
Product Size(L x W x H)	162 x 44 x 7cm
Foldaway(L x W x H)	120 x 44 x 7cm
Net weight	7kg
Load Limit	180kg
Packing Quantity	1
Packing Size(L x W x H)	122 x 46 x 9cm
Packing G.W	8kg



Technical parameters

Model	DW-SC005
Product Size(L x W x H)	211 x 42 x 7cm
Foldaway(L x W x H)	121 x 42 x 10cm
Net weight	9kg
Load Limit	180kg
Packing Quantity	2
Packing Size(L x W x H)	123 x 44 x 12cm
Packing G.W	10kg

SCOOP STRETCHER



Technical features

- Low temperature resistance: No embrittlement even at -196 degree celcius
- High temperature resistance: No embrittlement within 1500 degree celcius
- Excellent resistance against deformation. Net weight is less than 5kg.
- Impact resistance, It is stronger than steel and aluminum.
- Due to its low temperature sensitive. The surface temperate will not fluctuate heavily.
- Anticorrosion, not react with chemical.
- Can through X-ray, MRI.
- Traditional aluminum scoop stretcher could last 3 years. While this one could last at least 6-8 years

Technical parameters

Model	DW-SC006
Product Size(L x W x H)	163.7 x 43.7 x 6.7cm
Foldaway (L x W x H)	116.8 x 43.7 x 6.7cm
Net weight	4.3kg
Load Limit	250kg
Packing Quantity	1
Packing Size(L x W x H)	166 x 46 x 8cm
Packing G.W	6.5kg





BASKET STRETCHER

Technical features

- The stretcher is made with an eye on a very wide range of special emergency situations, such as in the mountains, air and at sea.
- With its special sling equipment, the stretcher is ideal for lifting and transport by helicopter.
- All the PE materials used are non-toxic, non-polluting, fire-proof, wear-resistant and anti-corrosion.



- It is sturdy and flexible to use, it's quick reliable fittings enable first-aid person to operate it rapidly and safely.
- It has an adjustable feet-securing mechanism, four safety belts and a mattress.



Technical parameters

Model	DW-BS002
Product Size(L x W x H)	218 x 62 x 18cm
Foldaway(L x W x H)	-
Net weight	18kg
Load Limit	300kg
Packing Quantity	1
Packing Size(L x W x H)	222 x 67 x 23cm
Packing G.W	21kg

Technical parameters

Model	DW-BS003
Product Size(L x W x H)	218 x 64 x 18cm
Foldaway(L x W x H)	123 x 64 x 22cm
Net weight	21kg
Load Limit	300kg
Packing Quantity	1
Packing Size(L x W x H)	135 x 66 x 31cm
Packing G.W	25kg

BASKET STRETCHER


Technical features

- The stretcher is made with an eye on a very wide range of special emergency situations, such as in the mountains, air and at sea.
- It is sturdy and flexible to use, its quick reliable fittings enable first-aid person to operate it rapidly and safely. With its special sling equipment, the stretcher is ideal for lifted and transported by helicopter.
- It has an adjustable feet-securing mechanism, two safety belts and a mattress.
- The basket stretcher is made of stainless steel tube and net, it will not rust and potentially cause additional harm to the patient. It is stronger than common basket stretcher.
- It can be used together with the Spine Boards, into two parts, easy to carrying and storage.



Technical parameters

Model	DW-BS001
Product Size(L x W x H)	219 x 69 x 19cm
Foldaway (L x W x H)	120 x 69 x 120cm
Net weight	17kg
Load Limit	350kg
Packing Quantity	1
Packing Size(L x W x H)	125 x 71 x 22cm
Packing G.W	25kg



SPINE BOARD

Technical features

- The stretcher is made of PE material with no discharge contaminator, and firmness to wear, it is allowed X-ray.
- It can be used with head immobilizer at the same time.



Technical parameters

Model	DW-PE001
Product Size(L x W x H)	186 x 41 x 5cm
Net weight	6.5kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	188 x 43 x 7cm
Packing G.W	11kg

- The stretcher equipped with safety belts.



Technical parameters

Model	DW-PE002
Product Size(L x W x H)	184 x 45 x 6cm
Net weight	8kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	187 x 48 x 7cm
Packing G.W	10.5kg

SPINE BOARD

Technical features


- The stretcher is made of PE material with no discharge contaminator, and firmness to wear, it is allowed X-ray.
- It can be used with head immobilizer at the same time.



Technical parameters

Model	DW-PE006A(Child)
Product Size(L x W x H)	136 x 35 x 5cm
Net weight	4.5kg
Load Limit	80kg
Packing Quantity	1
Packing Size(L x W x H)	142 x 39 x 8cm
Packing G.W	7kg

- The stretcher equipped with safety belts.



Technical parameters

Model	DW-PE004
Product Size(L x W x H)	186 x 41 x 5cm
Net weight	7.5kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	188 x 43 x 7cm
Packing G.W	16kg

SPINE BOARD

Technical features

- The stretcher is made of PE material with no discharge contaminator, and firmness to wear, it is allowed X-ray.
- It can be used with head immobilizer at the same time.



Technical parameters

Model	DW-PE005
Product Size(L x W x H)	186 x 41 x 5cm
Net weight	7.5kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	188 x 43 x 7cm
Packing G.W	16kg

- The stretcher equipped with safety belts.



Technical parameters

Model	DW-PE008
Product Size(L x W x H)	183 x 45 x 6cm
Net weight	8kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	185 x 46 x 7cm
Packing G.W	9kg

PVC KENDRICK EXTRICATION DEVICE

Technical features

- Surrounding designed to fix the patient. Applicable for patients in rib.
- Strips are in three colors, which can be quickly fixed. It is equipped with nylon buckles and safety belts. When used simultaneously with a neck fixation, the patient should be in sitting position, then be transferred to a PE stretcher.



Technical parameters

Model	DW-FA005(For adult)
Product Size(L x W x H)	82 x 71cm
Foldaway(L x W x H)	-
Net weight	3kg
Load Limit	-
Packing Quantity	2
Packing Size(L x W x H)	86 x 28 x 79cm
Packing G.W	8kg



Technical parameters

Model	DW-FA005(For child)
Product Size(L x W x H)	59 x 64cm
Foldaway(L x W x H)	-
Net weight	2kg
Load Limit	-
Packing Quantity	2
Packing Size(L x W x H)	62 x 20 x 19cm
Packing G.W	5kg

PE CERVICAL COLLAR

Technical features

- The design of the neck fixation is applicable to most patients .
- Designed with hole on throat position, it is convenient for the treatment of throat and trachea
- The height with several levels.
- Non-latex, non-toxic, low allergic.
- Made of special material, allowing X-ray, CAT and MRI scan.



Technical parameters

Model	DW-CC001A(For adult)	DW-CC001A(For child)
Product Size(L x W x H)	56 x 19 x 1cm	56 x 19 x 1cm
Foldaway(L x W x H)	-	-
Net weight	0.2kg	0.2kg
Load Limit	-	-
Packing Quantity	-	-
Packing Size(L x W x H)	-	-
Packing G.W	-	-



Technical parameters

Model	DW-CC001D	L	M	S
Product Size(L x W x H)	51 x 10 x 1cm	56 x 16 x 0.5cm	52 x 14 x 0.5cm	
Foldaway(L x W x H)	-	-	-	
Net weight	0.1kg	0.1kg	0.1kg	
Load Limit	-	-	-	
Packing Quantity	5	5	5	
Packing Size(L x W x H)	127 x 25 x 20cm	127 x 25 x 20cm	127 x 25 x 20cm	
Packing G.W	3kg	3kg	3kg	

TRACTION SPLINT SET

Technical features

- Alleviate leg organizations pressure through traction, so to avoid further bleeding, and the nerves, blood vessels, bones and muscles secondary damage.
- Made of aluminum alloy, the length is adjustable, nylon leggings tape automatic traction device.
- The size is both suitable for adults and children.



Technical parameters

Model	DW-FA003A
Product Size(L x W x H)	140 x 8cm
Foldaway(L x W x H)	28 x 15 x 5cm
Net weight	0.5kg
Packing Quantity	20
Packing Size(L x W x H)	29.5 x 74.5 x 29.5cm
Packing G.W	11.5kg

Technical parameters


Model	DW-FA004A	DW-FA004B
Product Size(L x W x H)	136 x 22 x 18cm	118 x 18 x 17cm
Foldaway(L x W x H)	90 x 22 x 18cm	80 x 18 x 17cm
Net weight	2kg	1.8kg
Packing Quantity	4	4
Packing Size(L x W x H)	100 x 26 x 21cm	91 x 23 x 20cm
Packing G.W	11.5kg	9kg

TRANSFER SHEET

Technical features

- DW-BP01 is made of waterproof nylon material. It features 10 holders and equipped with a handbag.
- DW-BP01/02 is particularly suitable for rescue in the wild, mountainous and high buildings. It is easy to carry and can reach the rescue site quickly.

- DW-BP02 is made of laminated PVC sheet and PE foam, featuring 4 holders.
- It allows X-Rays.



Technical parameters

Model	DW-BP01
Product Size(L x W x H)	210 x 75cm
Foldaway(L x W x H)	55 x 26cm
Net weight	3kg
Load Limit	100kg
Packing Quantity	5
Packing Size(L x W x H)	60 x 29 x 25cm
Packing G.W	14kg

Technical parameters

Model	DW-BP02
Product Size(L x W x H)	136 x 45cm
Foldaway(L x W x H)	-
Net weight	2.3kg
Load Limit	159kg
Packing Quantity	1
Packing Size(L x W x H)	65 x 7 x 136cm
Packing G.W	4kg

VACUUM MATTRESS STRETCHER

Technical features

- Adopts high quality and durable TPU material. Filled with harmless EPS particulate material.
- The stretcher is molded according to the human body shape, and it can be used in X-rays and CT scan.
- The firmness of the stretcher can be adjusted by pumping air into the stretcher according to the situation of the patient. It's easy and fast to operate.
- The stretcher is designed with light weight. It is foldable after deflation and it's easy to carry.



Technical parameters

Model	DW-VMS002(For adult)
Product Size(L x W x H)	197 x 97 x 7cm
Foldaway(L x W x H)	-
Net weight	6kg
Load Limit	160kg
Packing Quantity	1
Packing Size(L x W x H)	96 x 60 x 29cm
Packing G.W	8kg



Technical parameters

Model	DW-VMS002(For child)
Product Size(L x W x H)	150 x 72 x 6cm
Foldaway(L x W x H)	-
Net weight	3.5kg
Load Limit	100kg
Packing Quantity	1
Packing Size(L x W x H)	-
Packing G.W	-



FIRST-AID KIT



Technical parameters

Model	DW-BLD01L
Product Size(L x W x H)	55 x 45 x 30cm
Packing Quantity	25pcs/case
Packing Size(L x W x H)	65 x 75 x 95cm
Packing G.W	45kg



Technical parameters

Model	DW-BLD01M
Product Size(L x W x H)	45 x 35 x 25cm
Packing Quantity	35pcs/case
Packing Size(L x W x H)	65 x 75 x 95cm
Packing G.W	45kg

FIRST-AID KIT



Technical parameters

Model	DW-BLD03
Product Size(L x W x H)	37 x 22 x 20cm
Packing Quantity	50pcs/case
Packing Size(L x W x H)	65 x 75 x 95cm
Packing G.W	40kg



Technical parameters

Model	DW-FAK07
Product Size(L x W x H)	54 x 30 x 25cm
Packing Quantity	30pcs/case
Packing Size(L x W x H)	65 x 70 x 90cm
Packing G.W	45kg

FIRST-AID KIT



Technical parameters

Model	DW-FAK10
Product Size(L x W x H)	43 x 28 x 23cm
Packing Quantity	40pcs/case
Packing Size(L x W x H)	65 x 70 x 90cm
Packing G.W	45kg



Technical parameters

Model	DW-FAK12
Product Size(L x W x H)	50 x 30 x 28cm
Packing Quantity	25pcs/case
Packing Size(L x W x H)	65 x 70 x 90cm
Packing G.W	45kg

FIRST-AID KIT



Technical parameters

Model	DW-Z01
Product Size(L x W x H)	56 x 39 x 25cm
Packing Quantity	1 set/CTN
Packing Size(L x W x H)	63.5 x 30 x 46cm



Technical parameters

Model	DW-F02
Product Size(L x W x H)	44 x 37 x 20cm
Packing Quantity	1 set/CTN
Packing Size(L x W x H)	48 x 24.5 x 43cm

FIRST-AID KIT



H-318

H-188

H-320

H-118

H-319

Technical parameters

Model	H-188	H-118	H-318	H-319	H-320
Product Size(L x W x H)	30 x 11 x 26cm	32 x 13 x 26cm	35 x 13 x 30cm	38 x 14 x 34cm	50 x 18 x 38cm
Packing Quantity	12PCS	12PCS	12PCS	8PCS	4PCS
Packing Size(L x W x H)	69 x 55 x 31.5cm	79 x 54 x 33.5cm	79 x 64 x 37cm	72 x 59 x 40cm	74 x 40.5 x 51cm
Packing G.W	10.4kg	12.2kg	16.7kg	13.4kg	10.2kg

FIRST-AID KIT



FIRST-AID KIT

Technical parameters

Model	H-188Z	H-118Z	H-318Z	H-319Z	H-320Z
Product Size(L x W x H)	30 x 11 x 26cm	32 x 13 x 26cm	35 x 13 x 30cm	38 x 14 x 34cm	50 x 18 x 38cm
Packing Quantity	12PCS	12PCS	12PCS	8PCS	4PCS
Packing Size(L x W x H)	69 x 55 x 31.5cm	79 x 54 x 33.5cm	79 x 64 x 37cm	72 x 59 x 40cm	74 x 40.5 x 51cm
Packing G.W	10.4kg	12.2kg	16.7kg	13.4kg	10.2kg

FIRST-AID KIT



TC-A08



TC-A06



TC-A07



TC-A05

Technical parameters

Model	TC-A08	TC-A07	TC-A06	TC-A05
Product Size(L x W x H)	45 x 33 x 15cm	33 x 25 x 13cm	29 x 20 x 12cm	40 x 28 x 14cm



MEDICAL SCISSORS

Technical features

- Its powerful stainless steel blades with fluoride coating enables the scissors to cut through fabrics easily, making it a breeze to remove rigid sports tape after use, cut Kinesiology Tape to your desired length for application and cut through bandages.



Technical parameters

Model	DW-MS01
Product Size	14.5cm, 16cm, 18.5cm
N.W/ G.W	14kg/15kg
Q'TY(SET/CTN)	400pcs/carton
Packing Size	42 x 23 x 32.5cm
Material Material	Stainless steel / Hand Material: PP

Technical features

- Stainless steel, economical and autoclavable. Angled tip scissors, with a blunt tip on the bottom blade which helps in cutting bandages without damaging the skin. Safely lifts bandage away from the skin for easy cutting.



Technical parameters

Model	DW-MS02
Product Size	14.5cm, 16cm, 18.5cm
N.W/ G.W	14kg/15kg
Q'TY(SET/CTN)	400pcs/carton
Packing Size	42 x 23 x 32.5cm
Material Material	Stainless steel / Hand Material: PP

ALUMINUM MOULDABLE SPLINT

Technical features

- Fast performance: it is soft, and you can change its shape by hand.
- Stability: rigid structure made of aluminum alloy, the shape keeps stable after be changed, and it can be used in X-ray.
- Size: 100x11cm.
- Universality: you can use scissors to change its size at random, it could be applied to different parts of body.
- Security: In line with international standards, and its non-toxic, and has no irritating odor.



Technical parameters

Model	DW-FA012					
Product Size	15 x 90cm	11 x 100cm	11 x 90cm	11 x 61cm	11 x 45cm	4.5 x 9.5cm
Net weight	9kg	15.5kg	14.5kg	11kg	13.5kg/7kg	5.5kg
Packing Quantity	50	50	100	120	200/100	1000
Packing Size(L x W x H)	43 x 43 x 32cm	44 x 44 x 45cm	43 x 43 x 45cm	57 x 44 x 24cm	62 x 33 x 47cm/62 x 33 x 24cm	40 x 35 x 25cm
Gross weight	10kg	16.5kg	15.5kg	12kg	15kg/7.5kg	6.5kg

EMERGENCY BLANKET

Technical features

- It characterized by its being small-sized, light-weighted, heat preservation and easy-carried.
- It widely used in mountain climbing, fire fighting, rescuing and military.
- Material: PBT aluminum.



Technical parameters

Model	DW-EB01			
Product Size(L x W x H)	130 x 210cm	140 x 210cm	160 x 210cm	150 x 200cm
Packing Quantity	250	250	250	250
Packing Size(L x W x H)	37 x 35 x 25cm	37 x 35 x 25cm	37 x 35 x 25cm	37 x 35 x 25cm
Packing G.W	12.5kg	13.4kg	13.5kg	12kg

WATERPROOF EMERGENCY BLANKET

Technical features

- Windproof and waterproof.
- 3-ply construction with a layer of polyethylene, reinforced fabric, and metalized polyester.
- All weather protections by reflecting your own body heat back to you.
- High-visibility reflective surface works for emergency signaling.



Technical parameters

Model	DW-EB02
Product Size(L x W x H)	200 x 150cm
Packing Quantity	10pcs/carton
Packing Size(L x W x H)	50 x 40 x 30cm

FIRE BLANKET

Technical features

- Extinguishes both liquid and grease fire.
- Can also be used to wrap around your body and act as a heat shield.
- Manufactured from 100% glass.
- Red vinyl bag/pouch fits snugly to wall - just hang on a nail, pouch is designed to protect blanket from harsh UV rays, chemicals, and moisture, dust, salt and temperature extremes.



Technical parameters

Model	DW-EB03
Product Specification	100 x 100cm 120 x 120cm 150 x 150cm 120 x 180cm

EMERGENCY SLEEPING BAG

Technical features

- Extremely lightweight bivy sack made from waterproof PE-foil packs down small.
- Mummy shape, no zipper and silver reflective material for improved thermal efficiency.
- This bivy sack really does fit into any pack on a mountain tour thanks to the very small pack size and low weight.



Technical parameters

Model	DW-EB04
Product Size(L x W x H)	100 x 210 cm and customized
N.W/ G.W	11kg/12kg
Packing Size(L x W x H)	40 x 30 x 30cm
Packing Quantity	100pcs/carton
Material	Aluminium mylar/PET/PE

SIMPLE RESPIRATOR

Technical features

- Made of pure, clear, durable silicone, 100% latex free
- All parts can be easily dismantled for cleaning and disinfecting
- Silicone resuscitator bag and silicone face mask can be autoclaved repeatedly at 134 degree
- Includes pressure relief valve to minimize the risk of over pressure be required, the pressure relief valve can be blocked



Technical parameters

Model	DW-SP04
Product Size	Adult children or baby
N.W	0.6kg
G.W	0.8kg
Material	Silicone

Technical features

- This product is mainly used for cardiopulmonary resuscitation and artificial respiration auxiliary, keep the patients normal breathing during the short-term after awake.
- This product is disposable, it can eliminate the possibility of cross infection.
- This product with a pressure limiting valve for patient safety gas pressure.
- The rough surface of the resuscitators can ensure the rescuer has stable operation.
- The patient end of the connector is standard caliber 22/15mm(apply to the standard ISO5356-1)



Technical parameters

Model	DW-SR01	DW-SR02	DW-SR03
Quantity	12	12	12
Packing Size	57 x 33.5 x 46cm	57 x 33.5 x 46cm	57 x 33.5 x 46cm
G.W	11kg	9kg	8.5kg

ANAESTHETIC MASK

Technical features

- Made of nontoxic clear medical grade silicone material.
- Designed for use with automatic ventilators and components for manual resuscitators.
- Resuable and sterilize with autoclavable.



Technical parameters

Model	DW-AM01
Specification	#0 #1 #2 #3 #4 #5 #6
N.W	0.55kg
G.W	0.7kg
Material	Silicone

Technical features

- Due to the high quality of materials used, ventilation is conducted in an atraumatic and safe way for the patient.
- When applied to the face, tightly covers the patient's mouth and nose without compressing the eyes.
- Full size range allows to properly choose the size of the mask depending on the age of the patient.
- Single-use, non-sterile, latex and DEHP-free.



Technical parameters

Model	DW-AM02
Specification	#0 #1 #2 #3 #4 #5 #6
N.W	0.55kg
G.W	0.7kg
Material	Silicone

OXYGEN MASK

Technical features

- Under-the-chin design for excellent fit on wide range of face sizes.
- Clear, soft vinyl for patient comfort and visual assessment.
- Adjustable nose clip assures comfortable fit.
- With universal tubing connector.
- Attach directly onto the flowmeter, eliminating the need for an adaptor.



Technical parameters

Model	DW-OM01
N.W/ G.W	4.66kg/5.46kg
Packing Quantity	50pcs/carton
Packing Size(L x W x H)	46 x 36 x 30cm
Material	Clear,medical-grade PVC

VENTURI MASK

Technical features

- Safe, simple delivery of variable oxygen concentrations.
- Each mask includes color-coded, low and medium-concentration diluters.
- Locking ring secures flow setting.
- Includes adaptor for high humidity entrainment.
- Complete with 7-ft, oxygen supply tubing.



Technical parameters

Model	DW-VM01
Product Size	Adult Pediatric
N.W/ G.W	0.55kg/0.7kg
Material	PVC

CPR MASK

Technical features

- It is unfoldable.
- Prevents direct contact during artificial respiration.
- Transparent dome allows rescuer to visually check for patient's lip colour and vomitus.
- Made of durable plastics for easy cleaning and long product life.
- Latex free.



Technical parameters

Model	DW-CM01
N.W/ G.W	14kg/16kg
Packing Size(L x W x H)	74 x 39 x 35.5cm
Packing Quantity	100pcs/carton
Material	PVC

MOUTH TO MOUTH MASK

Technical features

- One-piece design with no separate inner bite block.
- Synthetic rubber tip reducing the risk of trauma.
- Comes with self seal bag.
- Single use.



Technical parameters

Model	DW-MM01
N.W/ G.W	6.0kg/6.5kg
Packing Size(L x W x H)	39 x 35 x 28cm
Packing Quantity	500pcs/carton
Material	PVC

LATEX GLOVES

Technical features

- 100% latex.
- Resists most liquids and some chemicals.
- Thin material for maximum dexterity.
- Loose fit around forearms makes gloves easier to put on and remove.
- Resists tearing when pulling on or peeling off.
- Prevents binding when flexing hand.



Technical parameters

Model	DW-LG1
Product Size	S, M, L, XL
N.W/ G.W	6.5kg/7.5kg
Packing Quantity	100pcs/ box, 20boxes/ctn
Packing Size(L x W x H)	36 x 28 x 27cm

NITRILE GLOVES

Technical features

- Great flexibility and durability.
- Keep your hands safe from ink stains and chemicals.
- Full Textured.
- Fits Either Hand.
- Latex and Powder Free.



Technical parameters

Model	DW-NG2
Product Size	S, M, L, XL
N.W/ G.W	6.5kg/7.5kg
Packing Quantity	100pcs/ box, 20boxes/ctn
Packing Size(L x W x H)	36 x 28 x 27cm

ICE PACK

Technical features

- Instant Cold Pack.
- Single squeeze easy activation offering immediate relief to injured area.
- Flexible material conforms to body contours.
- Ideal for minor sprains, burns, nosebleeds and headaches, Reduces swelling.
- No refrigeration needed, Safe, non-toxic fill.



Technical parameters

Model	DW-IP01
Product Size	11.5 x 17.5cm, 12 x 19cm, 12 x 24cm
Specification	100g, 160g, 280g
Packing Quantity	120 pcs/box, 80 pcs/box, 50 pcs/box

SAFETY GOGGLES


Technical features

- Large 180° window, better vision and better visual comfort
- Indirect vents prevent fogging on exhalation and increase wearing comfort
- The headband can be adjusted manually, according to your own needs, and it is more suitable to wear



Technical parameters

Model	DW-MM01
Product Size	18 x 10 x 5.5cm
Material	PC+PVC



BURN GEL DRESSING

Technical features

- To be applied directly on burns scalds and sunburn.
- Completely non-adhesive, nontoxic, won't irritate skin.
- Promotes the healing of the affected area.
- Safe to use on children. It is safe to use on first and second degree burns.
- Reduce the pain, Natural anti-bacterial action.



Technical parameters

Model	DW-BGD01
Product Size	5 x 5cm/10 x 10cm/2 x 2cm/3 x 3cm/4 x 6cm
N.W/ G.W	9.5kg/10kg
Packing Size(L x W x H)	46.5 x 31 x 18.5cm
Packing Quantity	160pcs/ctn

BURN SPRAY

Technical features

- Immediate effective treatment - soothing, cooling relief for burns, scalds and sunburn; the skin thereby minimising trauma or tissue damage.
- Provides a protective barrier and prevents the burn progressing through healthy tissue.
- Absorbs and dissipates heat.
- A sterile, water-based gel which is non-toxic and non-irritant



Technical parameters

Model	DW-BS01
Product Size	118ml/120ml/500ml
N.W/ G.W	0.55kg/0.7kg
Material	PVC

PLASTER BANDAGE

Technical features

- Knuckles bandages, long and short finger strips and fingertip bandages.
- Adapts to your hands movements.
- Breathable fabric.



Technical parameters

Model	DW-PB01
Product Size	Pack of 100 adhesive plasters 2 x 7cm, 2.4 x 7cm, 1.7 x 4cm Pack of 50 adhesive plasters 6 x 10 cm, 4.8 x 7cm, 3.8 x 3.8cm Pack of 50 adhesive plasters H shaped Pack of 50 adhesive plasters butterfly shaped

ALCOHOL PAD

Technical features

- Is made of spunlace non woven cloth and saturated with 70% isopropyl alcohol.
- It is used for cleaning wounds and protect wounds from germs.
- Also can be used for cleaning phone's screen, High precision part.
- It's gentle and comfortable, can be used in hospitals or for personal.



Technical parameters

Model	DW-AP01
Product Size	5 x 5cm
N.W/ G.W	10kg/11 kg
Packing Quantity	100pcs, 100Box/ctn
Packing Size(L x W x H)	43.5 x 29 x 28.5cm

SOAP WIPE

Technical features

- Kills germs and cleans skin.
- Contains skin conditioners to leave hands soft.
- Individually packaged for convenience.
- Sturdy, textured towelettes, alcohol free.



Technical parameters

Model	DW-SP01
Product Size	5 x 6cm
N.W/ G.W	14kg/15kg
Packing Quantity	200pcs/box, 100box/ctn

ANTISEPTIC CLEANSING WIPE

Technical features

- Antiseptic towelettes, with the active ingredient Benzalkonium Chloride.
- Ideal for cleansing wounds when alcohol is inadvisable.
- Single-use design eliminates the worry of cross contamination.



Technical parameters

Model	DW-ACW01
N.W/ G.W	14kg/15kg
Packing Quantity	50pcs/Box, 100Box/Ctn
Packing Size	53.5 x 25 x 48cm


HIGH ELASTIC BANDAGE



Technical parameters

Model	DW-BS01
Material	70% polyester;30% rubber/90%polyester,10% spandex
Weight gsm	90g,100g,110g
Length(stretched)	4m,4.5m,5m
Width	5cm,7.5cm,10cm,15cm,20cm

FIRST AID BANDAGE



Technical parameters

Model	DW-BS02
Bandgace LxW(Pad LxW)	6cmx4m(6x8cm);8cmx4m(8x10cm) 10cmx4m(10x12cm);12cmx5m(12x16cm)

TRIANGULAR BANDAGE



Technical parameters

Model	DW-TS01
Material	100% Cotton, 100% Non woven
Product Size	90 x 90 x 127cm , 100 x 100 x 142cm
Specification	Cotton 40S, 32S, 50x48, 40x40 etc
Nonwoven	30g/m ² , 40g/m ² etc

ZINC OXIDE TAPE



Technical parameters

Model	DW-TS02
Material	Cotton cloth, zinc oxide glue
Product Size	Length: 4m, 4.5m, 5m, 9.1m, 10m etc. Width: 2.5cm, 5cm, 7.5cm, 10cm, 15cm, 20cm

PAPER TAPE AND NONWOVEN TAPE



Technical parameters

Model	DW-TS03
Material	Paper/nonwoven cloth, hot-melt or Acrylic glue
Product Size	Length: 4m,4.5m,5m,9.1m, 10m etc. Width: 2.5cm,5cm,7.5cm,10cm,15cm,20cm

PE TAPE



Technical parameters

Model	DW-TS04
Material	PE cloth, hot-melt or Acrylic glue
Product Size	Length: 4m,4.5m,5m,9.1m, 10m etc. Width: 2.5cm,5cm,7.5cm,10cm,15cm,20cm

GAUZE SWAB STERILE OR NON STERILE



Technical parameters

Model	DW-GS01
Material	100% cotton
Mesh	19x15, 20x12, 30x20, 24x20, 30x28, 12x8 etc.
Size	2"x2"x8ply, 3"x3"x8ply, 4"x4"x8ply; 2"x2"x12ply, 3"x3"x12ply, 4"x4"x12ply 2"x2"x16ply, 3"x3"x16ply, 4"x4"x16ply etc.
Package	1pc/bag, 2pcs/bag, 100pc/paper pack etc

TOURNIQUET



Technical parameters

Model	DW-FA015
Packing Quantity	100
Packing Size	55 x 33 x 22cm
G.W	10kg



OXYGEN REGULATOR

Technical features

- Aluminum body or brass chrome body with brass core
- 3000 psi maximum inlet pressure
- Inlet connection complies to CGA standards
- Internal relief valve
- Piston type regulator



Technical parameters

Model	DW-OR01
Total Length(mm)	124,124,140,177,140,123,108,160,120,195,140,130,170
Inlet Pressure(MPa)	15,20,25
Metering Range(L/min)	0-2,0-4,0-8,0-15,0-25

OXYGEN REGULATOR

Technical features

- 3000 psi maximum inlet pressure
- Flow range:0-15 LPM/ 0-10 LPM /0-5LPM
- For use with oxygen cylinders,With Pressure gauge for easy reading
- Accessories:humidifier&cannula&mask



Technical parameters

Model	DW-OR02
Carton Size	52.5 x 40 x 36.5cm
N.W/ G.W	18kg/16kg
Packing	1PC/BOX,20PCS/CTN

FINGER PULSE OXIMETER

Technical features

- Color OLED display, screen resolution: 128*64, four directions adjustable
- SpO2 and pulse monitoring with SpO2 waveform display
- Low-power consumption, continuously work for 50 hours
- Small in size, light in weight, and convenient to carry
- Low voltage alarm display, auto power off



Technical parameters

Model	DW-FPO01
Measurement range	70%-99%
Resolution	±1%
Low perfusion	<0.4%

ELECTROMIC BLOOD PRESSURE MONITOR

Technical features

- 60S automatic shutdown after manual shutdown or no operation



Technical parameters

Model	DW-BPM01
N.W	112g (without battery)
Product size	75.6 x 68.4 x 31 mm
G.W	209g
Box size	95 x 85 x 95mm
Packing Size	468 x 280 x 400mm

MANUAL STETHOSCOPE

Technical features

- This manual inflation blood pressure monitor is similar to those used in doctors' offices and hospitals.
- The kit comes with all you need to start taking your blood pressure at home.
- Deluxe arm cuff fits arm circumferences of 13 to 17 inches.
- Comes with a convenient black zippered storage case and detailed instructions



Technical parameters

Model	DW-MS01
Product Size	19.5 x 21 x 7cm
Product Weight	443g
Packing Size	55 x 37 x 37cm
G.W	24kg

PATIENT MONITOR

Technical features

- Adult/Pediatric/Neonatal/Medicine/Surgery/Operating Room/ICU/CCU can be used



Technical parameters

Model	DW-8000C
Equipment	34 x 24.5 x 13.4cm
Package	38 x 35 x 30cm

PATIENT MONITOR

Technical features

- Combination of numeric LED and TFT LCD display.
- High capacity lithium rechargeable batteries, operation time up to 10 hours.
- Spot check and continuous working mode to satisfy different clinical scenario.
- High capacity internal storage for 1500 hours trends or 4000 groups of data.



Technical parameters

Model	DW-8000H
Dimensions	25 x 18 x 18cm
Net Weight	2kg(including battery)
Display	LED+3.2"LCD (320 x 240dpi)

MANUAL SUCTION PUMP

Technical features

- Usage: mainly used for sputum suction, pus suction, blood-sucking and other suction use.
- Features: Because of its small size, light weight, portable, simple operation, it can be used without power supply, particularly suitable for wild rescue and clinical use without power supply.



Fr 12 Catheter connection Exter diameter: Φ 4mm
 Fr 14 Catheter connection Exter diameter: Φ 4.67mm
 Child Catheter connection Exter diameter: Φ 9mm
 Adult Catheter connection Exter diameter: Φ 4mm

Technical parameters

Model	DW-SP
Packing Quantity	25
Packing Size	50 x 40 x 45cm
G.W	14kg

INFRARED THERMOMETER

Technical features

- To be applied directly on burns scalds and sunburn.
- Completely non-adhesive, nontoxic, won't irritate skin.
- Promotes the healing of the affected area.
- Safe to use on children. It is safe to use on first and second degree burns.
- Reduce the pain, Natural anti-bacterial action.



Technical parameters

Model	DW-T1803
Product Size	19 x 4 x 4cm
Weight	67g (without batteries)
Measuring distance	3cm ~5cm
Measuring range	32°C ~42.5°C(89.6°F ~108.5°F)

DIGITAL THERMOMETER



Technical parameters

Model	DW-T1804
Measuring range	32.0°C-42.9°C/(90.0-109.9)°F
Battery	0C1.5V TYPE-LR41
Max Error	0.1°C/0.2°F



TOURNIQUET

Military



Technical parameters

Model	DW-FA015
Packing Quantity	100
Packing Size	55 x 33 x 22cm
G.W	10kg

FINGER SPLINT



FS-01 Size: S/M/L

It is specially designed as a bud, which comprises of 4 petal-like parts.
Suitable indication: Fingertip injury.

Packing size: 37×32×18cm 100pcs/box G.W.: 15kg



FS-02 Size: S/M/L

It is compounded by aluminum and sponge, there are two pressure belts to fix the fingers.
Application: Finger tip injury protection.

Packing size: 37×32×18cm 100pcs/box G.W.: 13.6kg



FS-03 Size: S/M/L

The aluminum sheet can bent as required.

Application: Finger and middle finger distal phalanx fracture, dislocation or sprain.

Packing size: 37×32×18cm 100pcs/box G.W.: 16kg



FS-04 Size: S/M/L

The product is mainly used for fastening of the 1st and 2nd joints of fingers.

Packing size: 50×40×38cm 100pcs/box G.W.: 11.7kg



FS-05 Size: S/M/L

It is compounded by aluminum and sponge, which makes the injured finger stretch upward straightly and keep fastened.

Suitable for: Hammer-like finger, strain, fracture or dislocation on end joint of a finger.

Packing size: 37x32x 8cm 100 pcs/box G. W.: 12.5kg

MILITARY EMERGENCY (ISRAEL) BANDAGE



Technical parameters

Model	DW-MEB01
Product Size	10 x 4m 15 x 4m etc
Cotton Pad Size	10 x 10cm 10 x 12cm 15 x 18cm
Packing	EO Sterilization, Vacuum Package

EMERGENCY BLANKET



Technical parameters

Model	DW-EB02
Bandgage LxW(Pad LxW)	130 x 210cm, 140 x 210cm, 160 x 210cm Can be customized,

FLASHLIGHT



Technical parameters

Model	DW-FL01
Voltage	3.7V
Color temperature	6000k
Gear	3 gears
Weight	40g

ALUMINUM-PLASTIC PLYWOOD



Technical parameters

Model	DW-APP01
Product Size	15 x 90cm
Net weight	9kg
Packing Quantity	50 (Can be customized size)
Packing Size(L x W x H)	43 x 43 x 32cm
Gross weight	10kg

CHEST STICKERS



Technical parameters

Model	DW-CS01
Product Size	7 x 10 x 1cm

SLEEPING BAG



Technical parameters

Model	DW-SB01
Product Size	210 x 73 x 43cm
Packing Size	37 x 24 x 33cm
Weight	1500g


WAIST BAG



Technical parameters

Model	DW-WB01
Product size	3 x 6 x 17 cm
Material	600D Oxford cloth

PELVIC SPLINT



Technical parameters

Model	DW-PS01
Packing Size	S M L

FOLDING BED



Technical parameters

Model	DW-ST099
Product Size	190 x 64 x 45cm
Foldaway	92 x 19 x 11cm
Net weight	6kg
Load Limit	160kg
Packing Quantity	2
Packing Size	94 x 21 x 25cm
G.W	19kg

FOLDAWAY STRETCHER



Technical parameters

Model	DW-F007X
Product Size	228 x 57 x 14.5cm
Foldaway	53 x 22 x 22cm
Net weight	9.6kg
Load Limit	159kg
Packing Quantity	1
Packing Size	61 x 25 x 24cm
G.W	11.5kg